

June 16, 2026

shelley@arkadelphiaalliance.com

Ms. Shelley Short
President & CEO – Arkadelphia Regional Economic Development Alliance & Area Chamber of Commerce
CEO – Economic Development Corporation of Clark County, Arkansas
201 North 26th Street
Arkadelphia, AR 71923

RE: Section 404 Delineation – Transmittal Cover Letter
CCIC – South Site – Gum Springs, Clark County, Arkansas
ECCI Project # 5213-3004

Dear Ms. Short:

Please find enclosed the Section 404 delineation report for the CCIC- South Site project.

During the delineation, ECCI observed three wetland features (0.66 acre), one ephemeral channel (215 linear feet), one intermittent stream feature (782 linear feet), and one relatively permanent water (RPW) stream channel (1,195 linear feet).

Federal jurisdiction over surface waters is determined according to the pre-2015 regulatory regime, consistent with the Supreme Court's decision in *Sackett v. EPA* (No. 21-454: May 25, 2023) and subsequent *Memorandum to the Field Between the U.S. Department of the Army, U.S. Army Corp of Engineers, and the U.S. Environmental Protection Agency Concerning the Proper Implementation of "Continuous Surface connection" Under the Definition of "Waters of the United States" Under the Clean Water Act* (March 12, 2025).

Two aquatic features (WET-SS-B and EPH-SS-1) lack continuous surface hydrologic connections to a downstream regulated water. Additionally, ephemeral channels, such as EPH-SS-1, are not regulated under Section 404.

Two onsite aquatic wetland features (WET-SS-A1 and WET-SS-A2, totaling 0.33 acre) have a continuous surface hydrologic connection to a downstream regulated water, i.e., a tributary of Waggle Creek (RPW-SS-1) and ultimately to the Ouachita River, a Traditionally Navigable Water (TNW). Two onsite stream channels (INT-SS-1 and RPW-SS-1, totaling 1,977 linear feet) also have a continuous hydrologic surface connection to the Ouachita River.



Based on the Section 404 delineation and in light of the most recent information regarding jurisdiction issued by the United States Army Corps of Engineers (USACE) / Environmental Protection Agency (EPA), it is the opinion of ECCI that WET-SS-A1, WET-SS-A2, INT-SS-1, and RPW-SS-1 will likely be considered jurisdictional under Section 404 of the Clean Water Act (CWA). Projects impacting aquatic features that are jurisdictional under Section 404 of the CWA require authorization from the USACE Regulatory Division. This jurisdictional assessment is based on the continuity of waters of the United States extending from this onsite aquatic feature to a TNW.

Based on the Section 404 delineation and in light of the most recent information regarding jurisdiction issued by the USACE / EPA, it is the opinion of ECCI that WET-SS-B and EPH-SS-1 will likely not be considered jurisdictional under Section 404 of the Clean Water Act (CWA). Projects impacting aquatic features that are not jurisdictional under Section 404 of the CWA generally do not require authorization from the USACE Regulatory Division. This jurisdictional assessment is based on the feature type (ephemeral channels are not regulated under Section 404) and a lack of continuity of waters of the United States extending from these onsite aquatic features to a TNW.

These findings are offered based on our best professional judgement and recent informal discussions with USACE personnel. We offer our comments with regard to onsite features having the potential for USACE regulation under Section 404 of the CWA. However, until approved by the USACE, the information provided is considered unofficial. The USACE allows consultants to prepare information for submittal to the USACE for approval, but only the USACE can make official decisions with regard to jurisdiction of aquatic features under Section 404 of the CWA. Therefore, if an official decision regarding jurisdiction is desired, the enclosed delineation report may be provided to the USACE with a request for an Approved Jurisdictional Determination.

We thank you for the opportunity to provide information regarding your project. If you have any questions or need additional information regarding our findings presented in the delineation report, please do not hesitate to contact me or Lisa Willis at 501-975-8100.

Respectfully submitted,
ECCI

Jimmy Rogers
Project Manager

enclosure



SECTION 404 DELINEATION EDCCC – CCIC – SOUTH SITE CLARK COUNTY, ARKANSAS

JUNE 16, 2026

Prepared for:
**ECONOMIC DEVELOPMENT CORPORATION OF CLARK COUNTY, ARKANSAS
ATTN: SHELLEY SHORT
201 NORTH 26TH STREET
ARKADELPHIA, AR 72923**

Prepared by:



ENGINEERING | COMPLIANCE | CONSTRUCTION
13000 CANTRELL ROAD
LITTLE ROCK, ARKANSAS 72223-1637
TELEPHONE: (501) 975-8100

ECCI Project No. 5213-3004

TABLE OF CONTENTS

1.0 INTRODUCTION	1
2.0 MATERIALS AND METHODS.....	2
3.0 FINDINGS AND RESULTS.....	3
3.1 General Site Description	3
3.2 Wetlands	3
3.2.1 Vegetation	4
3.2.2 Wetland Hydrology.....	5
3.2.3 Soils.....	5
3.3 Other Waters of the US.....	6
3.4 Downstream Hydrologic Connectivity	8
4.0 FEMA 100-YEAR FLOODPLAIN AND FLOODWAY ISSUES	9
5.0 SUMMARY AND CONCLUSIONS	10

LIST OF TABLES

Table 1. Summary of Wetland Features	4
Table 2. Summary of Soil Map Units	6
Table 3. Summary of Findings at each of the 14 Sampling Point Locations.....	6
Table 4. Summary of Non-Wetland Aquatic Features.....	7

LIST OF FIGURES

Figure 1	Map showing project vicinity overlaid on ESRI World Street Maps.
Figure 2	Map showing project area overlaid on USGS TNM Topo Base Map.
Figure 3	Map showing project details overlaid on USGS TNM Topo Base Map.
Figure 4	Map showing project details overlaid on 2023 9-inch aerial imagery.

LIST OF ATTACHMENTS

ATTACHMENT A:	Sampling Point Data Sheets
ATTACHMENT B:	Representative Photos
ATTACHMENT C:	Reference Maps

1.0 INTRODUCTION

The Economic Development Corporation of Clark County, Arkansas contracted with Engineering Compliance and Construction, Inc. (ECCI) of Little Rock, Arkansas, to delineate Section 404 wetlands and other waters of the United States (WOTUS) within the proposed project site of approximately 81 acres. The project site is located east of Connie Rd. and south of Technology Dr. in Gum Springs, Clark County, Arkansas (Figure 1). The area of the delineation is mapped on the USGS *The National Map* Topo basemap for quadrangle Arkadelphia, AR (7.5-minute series) (Figures 2 and 3). The project area is located in part of the northeast ¼ of Section 13, Township 8 South, Range 20 West. Approximate central coordinates of the project area are 34.04350°N, -93.09137°W.

2.0 MATERIALS AND METHODS

ECCI conducted a Level 3, routine wetland delineation as described in the US Army Corps of Engineers (USACE) *Corps of Engineers Wetlands Delineation Manual* (Environmental Laboratory 1987). Field investigations for the delineation were conducted during May 2026. ECCI evaluated the area of the delineation for potential Section 404 jurisdictional areas, i.e., wetlands and other WOTUS, and complied with the USACE 1987 Manual and *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Atlantic and Gulf Coastal Plain Region Version 2.0* (Engineer Research and Development Center 2010).

Sampling point locations were selected to evaluate areas appearing to have at least some potential for USACE regulation under Section 404 of the Clean Water Act (CWA), and to evaluate the project area for the purpose of collecting data regarding vegetative community type(s). Fourteen (14) sampling point locations were established within the project area; data were collected on vegetation, hydrology, and soils at each location (Table 3; Figures 3 and 4; Attachment A).

The *Keys to the Flora of Arkansas* (Smith 1994) was used to confirm certain plant identifications and the *USACE Cold Regions Research and Engineering Laboratory's Atlantic and Gulf Coastal Plain Regional Wetland Plant List* (2022) was used to determine wetland indicator status for the dominant species. Soil pits were dug with a sharpshooter shovel to a depth of approximately 16 to 18 inches, where possible, and soil colors were determined with the aid of Munsell color charts. Soil survey data from the Natural Resources Conservation Service's (NRCS) *Web Soil Survey* (2019) were used to determine the map units for the area. Also, the NRCS (Soil Data Access) *Clark County, Arkansas Hydric Soils Map List and Map Units with Hydric Inclusions* was used to assist in the selection of sampling points appearing to have a potential for the occurrence of hydric soils.

A smartphone using ARCGIS collector paired with a Geode GPS with sub-meter accuracy was used for marking sampling site locations and potential Section 404 feature boundaries.

3.0 FINDINGS AND RESULTS

3.1 General Site Description

Overall, the project site drains to the southeast, with topography in the western portion of the project site generally sloping to the east, and topography in the eastern portion of the project site generally sloping to the south. Four primary plant communities were observed within the project area, as described in Section 3.2.1 below. Three wetland features, one ephemeral stream channel, one intermittent stream channel, one relatively permanent water (RPW) stream channel, and no other aquatic features were observed within the project area. Figures 1 through 4 provide maps of the project area. Attachment A provides completed sampling point data sheets. Attachment B provides representative photos of the project area. Attachment C provides various reference maps of the project area.

Historic aerial images indicate that the delineation area was primarily maintained as herbaceous (likely for agricultural use) from 1956 (earliest image reviewed) through present day, with a forested area in the northeastern portion of the site. In the 1980s, select areas, specifically along the main drainageway that flows from northwest to southeast through the delineation areas, fell out of maintenance and entered vegetative succession. By the early 2000s, the majority of the delineation area remained dominantly maintained herbaceous with select forested areas, much as the site exists presently.

3.2 Wetlands

ECCI observed three wetland features, located in the southeastern portion of the project area, totaling 0.66 acre (Figures 3 and 4; Attachment B, Photo 11-13). WET-SS-A1 and WET-SS-B are agricultural field wetlands. These are depressional areas within an agricultural field that has been planted but these areas have retained surface water resulting in crop mortality. WET-SS-A2 is a linear drainageway wetland through a forested area. WET-SS-A1 abuts and drains to WET-SS-A2. WET-SS-B is largely isolated but does appear to periodically drain to an ephemeral roadside ditch. WET-SS-A2 drains offsite to a mapped RPW tributary. Details regarding individual wetland areas are provided below in Table 1.

Table 1. Summary of Wetland Features

Wetland ID	Wetland Vegetative Type	Acreage (acres onsite)	Photo #'s
WET-SS-A1	Row-Crop Agricultural Field	0.23	11
WET-SS-A2	Row-Crop Agricultural Field	0.10	13
WET-SS-B	Forested Drainageway	0.33	12

3.2.1 Vegetation

The project area consists of four primary vegetation communities, i.e., a maintained field upland community, a row-crop agricultural upland community, a forested non-wetland riparian community, and a mixed-forest upland community.

The maintained field upland community, the dominant vegetative community within the western portion of the project area, was observed to be dominated by perennial rye grass (*Lolium perenne*), little bluestem (*Schizachyrium scoparium*), broomsedge (*Andropogon virginicus*), and tall goldenrod (*Solidago altissima*) (Attachment B, Photos 3 and 4).

The row-crop agricultural upland community, located in several portions of the project area, was observed to be primarily dominated by soybean (*Glycine max*) (Attachment B, Photos 5 and 6).

The forested non-wetland riparian community, located along the corridor of the mapped channel that runs through the project area, is dominated by green ash (*Fraxinus pennsylvanica*), sugarberry (*Celtis laevigata*), American elm (*Ulmus americana*), winged elm (*Ulmus alata*), soapberry (*Sapindus saponaria*), Chinese privet (*Ligustrum sinense*), Virginia wild rye (*Elymus virginicus*), Canadian black-snakeroot (*Sanicula canadensis*), and Virginia creeper (*Parthenocissus quinquefolia*) (Attachment B, Photos 7 and 8).

The mixed-forest upland community, located in the northeastern portion of the project area, is dominated by pignut hickory (*Carya glabra*), southern red oak (*Quercus falcata*), sweetgum (*Liquidambar styraciflua*), eastern woodland sedge (*Carex blanda*), Japanese honeysuckle (*Lonicera japonica*), and Virginia creeper (Attachment B, Photos 9 and 10).

In addition to the four primary vegetation communities, two wetland community types, i.e., a row-crop agricultural wetland community and a forested drainageway wetland community, important in terms of this delineation report, were observed within the project area.

The row-crop agricultural wetland community, associated with WET-SS-A1 and WET-SS-B, is sparsely vegetated due to inundation leading to planted crop mortality (Attachment B, Photos 11 and 12). Vegetation is considered problematic due to agricultural activity.

The forested drainageway wetland community, associated with WET-SS-A2, is dominated by green ash, sugarberry, American elm, and lizard's-tail (*Saururus cernuus*) (Attachment B, Photo 13).

Positive indicators of hydrophytic vegetation were observed at 7 of the 14 sampling point locations (Table 3; Attachment A).

3.2.2 Wetland Hydrology

Hydrology within the onsite wetland areas appears to be primarily associated with seasonal runoff/short term inundation during and following periods of rainfall. Hydrologic indicators observed within the onsite wetland features include surface water, high water table, saturation, water marks, drift deposits, algal mat or crust, water-stained leaves, aquatic fauna, sparsely vegetated concave surfaces, drainage patterns, saturation visible on aerial imagery, and a positive FAC-Neutral test.

Positive indicators of hydrology were observed at 4 of the 14 sampling point locations, one of which, i.e., F-08 (lacking hydrophytic vegetation and hydric soils) had an algal crust which would likely not have been present if not for agricultural activities (Table 3; Attachment A).

3.2.3 Soils

Table 2 summarizes soils mapped within the project site by the NRCS *Web Soil Survey* 3.4 (Attachment C). Hydric soil status of each soil map unit is taken from the NRCS hydric soils lists for Clark County, Arkansas. Positive indicators of hydric soils were observed at 4 of the 14 sampling point locations (Table 3; Attachment A). Although hydric soils were observed at one

sampling point location in an upland area, i.e., F-05 (lacking hydrophytic vegetation and wetland hydrology), this may be due to the sampling point location at the edge of an agricultural field and near a stream channel.

Table 2. Summary of Soil Map Units

Soil Map Unit Name	Description	Hydric
Clark County, Arkansas		
Houston Clay, 3 to 8 percent slopes, eroded	Moderately well drained soils found on Blackland prairie coastal plains	Yes
Kipling silt loam, 0 to 2 percent slopes	Somewhat poorly drained soils found on Blackland prairie interfluves	Yes
Kipling silty clay loam, 2 to 5 percent slopes	Somewhat poorly drained soils found on Blackland prairie interfluves	Yes
Terouge silty clay, 1 to 3 percent slopes	Somewhat poorly drained soils found on Blackland prairie fluvial terraces	Yes
Tuscumbia silty clay, occasionally flooded	Poorly drained soils found on Blackland prairie flood plains	Yes
Urbo silty clay loam, occasionally flooded	Somewhat poorly drained soils found on Blackland prairie flood plains	Yes

Table 3. Summary of Findings at each of the 14 Sampling Point Locations

Sampling Point	Hydrophytic Vegetation	Hydric Soils	Wetland Hydrology	Technical Wetland
F-01	No	No	No	No
F-02	No	No	No	No
F-03	No	No	No	No
F-04	Yes	No	No	No
F-05	No	Yes	No	No
F-06	Yes	No	No	No
F-07	Yes	Yes	Yes	Yes
F-08	No	No	Yes	No
F-09	Yes	Yes	Yes	Yes
F-10	Yes	Yes	Yes	Yes
F-11	Yes	No	No	No
F-12	Yes	No	No	No
F-13	No	No	No	No
F-14	No	No	No	No

3.3 Other Waters of the US

The reviewed USGS topographic maps (1960, 1975, 1977, 2014, 2017, 2020, and 2024) each illustrate a single aquatic feature onsite, i.e., a stream channel running northwest to

southeast through the central portion of the project area. Similarly, the NWI maps this stream channel, classified as R4SBC (riverine, intermittent streambed, seasonally flooded). Both the USGS and NWI also map a portion of this channel as having a side channel near the southern portion of the project area.

This report classifies observed stream channels as one of three types:

- Ephemeral – Channels that appear to flow only in response to rainfall
- Intermittent – Channels that appear unlikely to be relatively permanent. These channels may flow in response to rainfall with potential groundwater influence, and/or appear to potentially maintain semi-persistent pools during select wet periods of a normal year.
- Relatively Permanent Water (RPW) – Channels that appear likely to maintain a persistence of water, which may or may not be continuously flowing, throughout at least the entirety of the wet season during a typical (in terms of precipitation) year.

The primary mapped channel was observed to be an RPW stream channel (RPW-SS-1). RPW-SS-1 follows portions of the project boundary and enters/exists the project area at various locations.

The mapped side channel was observed to be an intermittent stream channel (INT-SS-1).

During the site visit, one unmapped ephemeral channel (EPH-SS-1) was also observed. EPH-SS-1, located in the west-central portion of the project area, was observed to lose definition to the east and flow spreads out as overland sheet flow within upland areas of a farmed field.

The observed onsite non-wetland aquatic features are summarized in Table 4 below.

Table 4. Summary of Non-Wetland Aquatic Features

Feature ID	Description	Width (ft.)	Depth (ft)	Size (linear feet onsite)	Substrate	Downstream Hydrologic Connection	Photo #'s
EPH-SS-1	Ephemeral	2.5	0.2	215	silt, detritus	n/a – drainage spreads out as surface sheet flow	14
INT-SS-1	Intermittent	8	2	782	silt	RPW-SS-1	15
RPW-SS-1	Relatively Permanent	8	2+	1,195	gravel	offsite to Waggle Creek	16, 17

Multiple well-defined erosive features were also observed in the western portion of the project area (Attachment B, Photos 18-22). Each of these features become visible on aerial photography in various years and appear to shift over time. These features do not appear to have stable beds and banks and while likely associated with stormwater runoff, lack features commonly associated with ephemeral channels. Each erosive feature was observed and lacks a defined aquatic feature on the “downstream” (eastern) end. These erosive features do not meet the criteria for classification as potential waters of the US. Each of these erosive features occurs within or adjacent to areas mapped by NRCS as eroded soil phases, consistent with the observations of these features as erosional in nature rather than stable channel features.

3.4 Downstream Hydrologic Connectivity

Drainage from the site is conveyed via RPW-SS-1 (a tributary of Waggle Creek) offsite to the east to Waggle Creek; Waggle Creek flows generally south and flows to Terre Noire Creek; Terre Noire Creek flows generally southeast to the Little Missouri River; the Little Missouri River flows east to the Ouachita River, a Traditionally Navigable Water (TNW).


4.0 FEMA 100-YEAR FLOODPLAIN AND FLOODWAY ISSUES

The Federal Emergency Management Agency (FEMA) maps the majority of the project area as unshaded Zone X. Unshaded Zone X is a FEMA designation for areas of minimal flood hazard that are outside the 0.2 percent annual-chance flood. FEMA maps the area of the onsite tributary (RPW-SS-1) corridor as a Zone A floodplain. Zone A is a FEMA designation for a special flood hazard area without base flood elevations determined. A FEMA FIRMette is provided in Attachment C.

5.0 SUMMARY AND CONCLUSIONS

- ECCI observed three wetland areas, totaling approximately 0.66 acre within the project area.
- ECCI observed one ephemeral stream feature, totaling approximately 215 linear feet within the project area.
- ECCI observed one intermittent stream feature, totaling approximately 782 linear feet within the project area.
- ECCI observed one RPW stream feature, totaling approximately 1,195 linear feet within the project area.
- FEMA maps a portion of the project area within the 0.2 percent annual-flood chance floodplain.

Figures



CCIC – South Site



★ Project Area


30

Miles



Background: Esri, DeLorme, HERE, USGS, Intermap, increment P Corp.,
C:\Users\GMike\Documents\ArcGIS\Projects\5213-3004_CCIC South Site\5213-3004_CCIC South Site.aprx, Esri (China), Esri (India), Esri (Japan), Esri (Korea), Esri (Taiwan), Esri (Thailand), TomTom

Figure 1. Map showing project vicinity overlaid on ESRI World Street Maps.



CCIC – South Site



Project Area

0.5

Miles




C:\Users\GMike\Documents\ArcGIS\Projects\5213-3004_CCIC South Site\5213-3004_CCIC South Site.aprx

Background: USGS The National Map

5/12/2026

Figure 2. Map showing project area overlaid on USGS TNM Topo Base Map.



CCIC – South Site



- Project Area
- Wetland
- EPH

- RPW
- INT
- RPW (Outside Project Area)

- Culverted Crossing
- + Sample Point

500


Feet



C:\Users\GMike\Documents\ArcGIS\Projects\5213-3004_CCIC South Site\5213-3004_CCIC South Site.aprx

Background: USGS The National Map

Figure 3. Map showing project details overlaid on USGS TNM Topo Base Map.



CCIC – South Site



- Project Area
- Wetland
- EPH

- RPW
- INT
- RPW (Outside Project Area)
- Culverted Crossing
- + Sample Point

500

Feet



C:\Users\GMikel\Documents\ArcGIS\Projects\5213-3004_CCIC South Site\5213-3004_CCIC South Site.aprx Background: https://gis.arkansas.gov/arcgis/services/IMAGERY_9IN_2023/ImageServer

Figure 4. Map showing project details overlaid on 2023 9-inch aerial imagery.

Attachment A

Sampling Point Data Sheets

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region See ERDC/EL TR-10-20; the proponent agency is CECW-COR	OMB Control #: 0710-0024, Exp: 09/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)
---	---

Project/Site: EDCCC - CCIC South Site City/County: Clark County Sampling Date: 2026-05-15
Applicant/Owner: Economic Development Corporation of Clark County State: Arkansas Sampling Point: F-01
Investigator(s): Jimmy Rogers Section, Township, Range: S13 T8S R20W
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 1
Subregion (LRR or MLRA): P 135B Lat: 34.04502 Long: -93.09297 Datum: WGS 84
Soil Map Unit Name: 32 - Kipling silty clay loam, 2 to 5 percent slopes NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No _____ (If no, explain in Remarks.)
Are Vegetation ☒, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No ☒
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No ☒	Is the Sampled Area within a Wetland? Yes _____ No ☒
Hydric Soil Present? Yes _____ No ☒	
Wetland Hydrology Present? Yes _____ No ☒	

Remarks:
Maintained (periodically mowed) field.

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> ☐ Surface Water (A1) ☐ Aquatic Fauna (B13) ☐ High Water Table (A2) ☐ Marl Deposits (B15) (LRR U) ☐ Saturation (A3) ☐ Hydrogen Sulfide Odor (C1) ☐ Water Marks (B1) ☐ Oxidized Rhizospheres on Living Roots (C3) ☐ Sediment Deposits (B2) ☐ Presence of Reduced Iron (C4) ☐ Drift Deposits (B3) ☐ Recent Iron Reduction in Tilled Soils (C6) ☐ Algal Mat or Crust (B4) ☐ Thin Muck Surface (C7) ☐ Iron Deposits (B5) ☐ Other (Explain in Remarks) ☐ Inundation Visible on Aerial Imagery (B7) ☐ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> ☐ Surface Soil Cracks (B6) ☐ Sparsely Vegetated Concave Surface (B8) ☐ Drainage Patterns (B10) ☐ Moss Trim Lines (B16) ☐ Dry-Season Water Table (C2) ☐ Crayfish Burrows (C8) ☐ Saturation Visible on Aerial Imagery (C9) ☐ Geomorphic Position (D2) ☐ Shallow Aquitard (D3) ☐ FAC-Neutral Test (D5) ☐ Sphagnum Moss (D8) (LRR T, U)
Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No ☒
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks:	

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: **F-01**

Tree Stratum (Plot size: <u>30 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.00</u> (A/B) Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>10</u></td> <td>x 2 = <u>20</u></td> </tr> <tr> <td>FAC species <u>22</u></td> <td>x 3 = <u>66</u></td> </tr> <tr> <td>FACU species <u>63</u></td> <td>x 4 = <u>252</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>95</u> (A)</td> <td><u>338</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>3.55</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>10</u>	x 2 = <u>20</u>	FAC species <u>22</u>	x 3 = <u>66</u>	FACU species <u>63</u>	x 4 = <u>252</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>95</u> (A)	<u>338</u> (B)	Prevalence Index = B/A = <u>3.55</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>10</u>	x 2 = <u>20</u>																			
FAC species <u>22</u>	x 3 = <u>66</u>																			
FACU species <u>63</u>	x 4 = <u>252</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>95</u> (A)	<u>338</u> (B)																			
Prevalence Index = B/A = <u>3.55</u>																				
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____		20% of total cover: _____																		
Sapling/Shrub Stratum (Plot size: <u>30 ft r</u>)																				
1. _____	_____	_____	_____	Hydrophytic Vegetation Indicators: ___ 1 - Rapid Test for Hydrophytic Vegetation ___ 2 - Dominance Test is >50% ___ 3 - Prevalence Index is ≤3.0 ¹ ___ Problematic Hydrophytic Vegetation ¹ (Explain)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____		20% of total cover: _____																		
Herb Stratum (Plot size: <u>10 ft r</u>)																				
1. <u>Lolium perenne</u>	<u>35</u>	<u>✓</u>	<u>FACU</u>	¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
2. <u>Schizachyrium scoparium</u>	<u>20</u>	<u>✓</u>	<u>FACU</u>																	
3. <u>Andropogon virginicus</u>	<u>10</u>		<u>FAC</u>																	
4. <u>Fraxinus pennsylvanica</u>	<u>10</u>		<u>FACW</u>																	
5. <u>Bromus japonicus</u>	<u>5</u>																			
6. <u>Erigeron strigosus</u>	<u>5</u>		<u>FAC</u>																	
7. <u>Solidago altissima</u>	<u>5</u>		<u>FACU</u>																	
8. <u>Allium vineale</u>	<u>3</u>		<u>FACU</u>																	
9. <u>Eupatorium serotinum</u>	<u>2</u>		<u>FAC</u>																	
10. <u>Rumex crispus</u>	<u>2</u>		<u>FAC</u>																	
11. <u>Symphytotrichum pilosum</u>	<u>2</u>		<u>FAC</u>																	
12. <u>Juncus tenuis</u>	<u>1</u>		<u>FAC</u>																	
<u>100</u> = Total Cover																				
50% of total cover: <u>50.00</u>		20% of total cover: <u>20.00</u>																		
Woody Vine Stratum (Plot size: <u>30 ft r</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____		20% of total cover: _____																		
Remarks: (If observed, list morphological adaptations below.)																				

SOIL

Sampling Point: **F-01****Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 18	10YR 3/3	100					Silty Clay	
-								
-								
-								
-								
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.²Location: PL=Pore Lining, M=Matrix.**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)
☐ Black Histic (A3)	(MLRA 153B, 153D)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Depleted Matrix (F3)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Redox Dark Surface (F6)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)
☐ Polyvalue Below Surface (S8)	☐ Very Shallow Dark Surface (F22)
(LRR S, T, U)	(MLRA 138, 152A in FL, 154)

Indicators for Problematic Hydric Soils³:

☐ 1 cm Muck (A9) (LRR O)
☐ 2 cm Muck (A10) (LRR S)
☐ Coast Prairie Redox (A16)
(outside MLRA 150A)
☐ Reduced Vertic (F18)
(outside MLRA 150A, 150B)
☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Anomalous Bright Floodplain Soils (F20)
(MLRA 153B)
☐ Red Parent Material (F21)
☐ Very Shallow Dark Surface (F22)
(outside MLRA 138, 152A in FL, 154)
☐ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation andwetland hydrology must be present,
unless disturbed or problematic.**Restrictive Layer (if observed):**

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No ☒

Remarks:

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region See ERDC/EL TR-10-20; the proponent agency is CECW-COR	OMB Control #: 0710-0024, Exp: 09/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)
---	---

Project/Site: EDCCC - CCIC South Site City/County: Clark County Sampling Date: 2026-05-15
Applicant/Owner: Economic Development Corporation of Clark County State: Arkansas Sampling Point: F-02
Investigator(s): Jimmy Rogers Section, Township, Range: S13 T8S R20W
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 1-2
Subregion (LRR or MLRA): P 135B Lat: 34.04280 Long: -93.09389 Datum: WGS 84
Soil Map Unit Name: 32 - Kipling silty clay loam, 2 to 5 percent slopes NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No _____ (If no, explain in Remarks.)
Are Vegetation ☒, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No ☒
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No ☒	Is the Sampled Area within a Wetland? Yes _____ No ☒
Hydric Soil Present? Yes _____ No ☒	
Wetland Hydrology Present? Yes _____ No ☒	

Remarks:
Maintained (periodically mowed) field.

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> ☐ Surface Water (A1) ☐ Aquatic Fauna (B13) ☐ High Water Table (A2) ☐ Marl Deposits (B15) (LRR U) ☐ Saturation (A3) ☐ Hydrogen Sulfide Odor (C1) ☐ Water Marks (B1) ☐ Oxidized Rhizospheres on Living Roots (C3) ☐ Sediment Deposits (B2) ☐ Presence of Reduced Iron (C4) ☐ Drift Deposits (B3) ☐ Recent Iron Reduction in Tilled Soils (C6) ☐ Algal Mat or Crust (B4) ☐ Thin Muck Surface (C7) ☐ Iron Deposits (B5) ☐ Other (Explain in Remarks) ☐ Inundation Visible on Aerial Imagery (B7) ☐ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> ☐ Surface Soil Cracks (B6) ☐ Sparsely Vegetated Concave Surface (B8) ☐ Drainage Patterns (B10) ☐ Moss Trim Lines (B16) ☐ Dry-Season Water Table (C2) ☐ Crayfish Burrows (C8) ☐ Saturation Visible on Aerial Imagery (C9) ☐ Geomorphic Position (D2) ☐ Shallow Aquitard (D3) ☐ FAC-Neutral Test (D5) ☐ Sphagnum Moss (D8) (LRR T, U)
Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No ☒
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks:	

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: **F-02**

Tree Stratum (Plot size: <u>30 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>3</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>33.33</u> (A/B) Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>5</u></td> <td>x 2 = <u>10</u></td> </tr> <tr> <td>FAC species <u>26</u></td> <td>x 3 = <u>78</u></td> </tr> <tr> <td>FACU species <u>67</u></td> <td>x 4 = <u>268</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>98</u> (A)</td> <td><u>356</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>3.63</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>5</u>	x 2 = <u>10</u>	FAC species <u>26</u>	x 3 = <u>78</u>	FACU species <u>67</u>	x 4 = <u>268</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>98</u> (A)	<u>356</u> (B)	Prevalence Index = B/A = <u>3.63</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>5</u>	x 2 = <u>10</u>																			
FAC species <u>26</u>	x 3 = <u>78</u>																			
FACU species <u>67</u>	x 4 = <u>268</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>98</u> (A)	<u>356</u> (B)																			
Prevalence Index = B/A = <u>3.63</u>																				
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
		=Total Cover _____																		
50% of total cover: _____		20% of total cover: _____																		
Sapling/Shrub Stratum (Plot size: <u>30 ft r</u>)																				
1. _____	_____	_____	_____	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) _____ ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
		=Total Cover _____																		
50% of total cover: _____		20% of total cover: _____																		
Herb Stratum (Plot size: <u>10 ft r</u>)																				
1. <u>Lolium perenne</u>	<u>50</u>	<u>✓</u>	<u>FACU</u>	Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
2. <u>Juncus tenuis</u>	<u>10</u>	<u>✓</u>	<u>FAC</u>																	
3. <u>Solidago altissima</u>	<u>10</u>	<u>✓</u>	<u>FACU</u>																	
4. <u>Andropogon virginicus</u>	<u>5</u>		<u>FAC</u>																	
5. <u>Bromus japonicus</u>	<u>5</u>																			
6. <u>Erigeron strigosus</u>	<u>5</u>		<u>FAC</u>																	
7. <u>Fraxinus pennsylvanica</u>	<u>5</u>		<u>FACW</u>																	
8. <u>Schizachyrium scoparium</u>	<u>5</u>		<u>FACU</u>																	
9. <u>Valerianella radiata</u>	<u>3</u>		<u>FAC</u>																	
10. <u>Ambrosia trifida</u>	<u>2</u>		<u>FAC</u>																	
11. <u>Geranium maculatum</u>	<u>2</u>		<u>FACU</u>																	
12. <u>Briza minor</u>	<u>1</u>		<u>FAC</u>																	
		=Total Cover <u>104</u>																		
50% of total cover: <u>52.00</u>		20% of total cover: <u>20.80</u>																		
Woody Vine Stratum (Plot size: <u>30 ft r</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
		=Total Cover _____																		
50% of total cover: _____		of total cover: _____																		

Remarks: (If observed, list morphological adaptations below.)

VEGETATION Continued (Four Strata) – Use scientific names of plants.

 Sampling Point: F-02

<u>Tree Stratum</u>	<u>Absolute % Cover</u>	<u>Dominant Species?</u>	<u>Indicator Status</u>
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
13. _____	_____	_____	_____
14. _____	_____	_____	_____
15. _____	_____	_____	_____
16. _____	_____	_____	_____
	_____ = Total Cover		
50% of total cover: _____	20% of total cover: _____		
<u>Sapling/Shrub Stratum</u>			
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
13. _____	_____	_____	_____
14. _____	_____	_____	_____
15. _____	_____	_____	_____
16. _____	_____	_____	_____
	_____ = Total Cover		
50% of total cover: _____	20% of total cover: _____		
<u>Herb Stratum</u>			
13. <u>Krigia sp.</u>	<u>1</u>	_____	_____
14. _____	_____	_____	_____
15. _____	_____	_____	_____
16. _____	_____	_____	_____
17. _____	_____	_____	_____
18. _____	_____	_____	_____
19. _____	_____	_____	_____
20. _____	_____	_____	_____
21. _____	_____	_____	_____
22. _____	_____	_____	_____
23. _____	_____	_____	_____
24. _____	_____	_____	_____
	<u>104</u> = Total Cover		
50% of total cover: <u>52.00</u>	20% of total cover: <u>20.80</u>		
<u>Woody Vine Stratum</u>			
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
	_____ = Total Cover		
50% of total cover: _____	20% of total cover: _____		

Definitions of Four Vegetation Strata:

Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody Vine – All woody vines greater than 3.28 ft in height.

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: **F-02**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 18	7.5YR 3/3	100					Silty Clay	
-								
-								
-								
-								
-								
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)		Indicators for Problematic Hydric Soils ³ :
☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)	☐ 2 cm Muck (A10) (LRR S)
☐ Black Histic (A3)	(MLRA 153B, 153D)	☐ Coast Prairie Redox (A16)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)	(outside MLRA 150A)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)	☐ Reduced Vertic (F18)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Depleted Matrix (F3)	(outside MLRA 150A, 150B)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Redox Dark Surface (F6)	☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)	☐ Anomalous Bright Floodplain Soils (F20)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)	(MLRA 153B)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)	☐ Red Parent Material (F21)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)	☐ Very Shallow Dark Surface (F22)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	(outside MLRA 138, 152A in FL, 154)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)	☐ Other (Explain in Remarks)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)	
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)	
☐ Polyvalue Below Surface (S8)	☐ Very Shallow Dark Surface (F22)	
(LRR S, T, U)	(MLRA 138, 152A in FL, 154)	

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes _____ No ☒
---	--

Remarks:

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region See ERDC/EL TR-10-20; the proponent agency is CECW-COR	OMB Control #: 0710-0024, Exp: 09/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)
---	--

Project/Site: EDCCC - CCIC South Site City/County: Clark County Sampling Date: 2026-05-15
Applicant/Owner: Economic Development Corporation of Clark County State: Arkansas Sampling Point: F-03
Investigator(s): Jimmy Rogers Section, Township, Range: S13 T8S R20W
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 1
Subregion (LRR or MLRA): P 135B Lat: 34.04328 Long: -93.09173 Datum: WGS 84
Soil Map Unit Name: 86 - Tuscumbia silty clay, occasionally flooded NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No _____ (If no, explain in Remarks.)
Are Vegetation ☒, Soil ☒, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No ☒
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No ☒	Is the Sampled Area within a Wetland? Yes _____ No ☒
Hydric Soil Present? Yes _____ No ☒	
Wetland Hydrology Present? Yes _____ No ☒	

Remarks:
Agriculture field.

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> ☐ Surface Water (A1) ☐ Aquatic Fauna (B13) ☐ High Water Table (A2) ☐ Marl Deposits (B15) (LRR U) ☐ Saturation (A3) ☐ Hydrogen Sulfide Odor (C1) ☐ Water Marks (B1) ☐ Oxidized Rhizospheres on Living Roots (C3) ☐ Sediment Deposits (B2) ☐ Presence of Reduced Iron (C4) ☐ Drift Deposits (B3) ☐ Recent Iron Reduction in Tilled Soils (C6) ☐ Algal Mat or Crust (B4) ☐ Thin Muck Surface (C7) ☐ Iron Deposits (B5) ☐ Other (Explain in Remarks) ☐ Inundation Visible on Aerial Imagery (B7) ☐ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> ☐ Surface Soil Cracks (B6) ☐ Sparsely Vegetated Concave Surface (B8) ☐ Drainage Patterns (B10) ☐ Moss Trim Lines (B16) ☐ Dry-Season Water Table (C2) ☐ Crayfish Burrows (C8) ☐ Saturation Visible on Aerial Imagery (C9) ☐ Geomorphic Position (D2) ☐ Shallow Aquitard (D3) ☐ FAC-Neutral Test (D5) ☐ Sphagnum Moss (D8) (LRR T, U)
--	--

Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No ☒
---	--

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: **F-03**

Tree Stratum (Plot size: <u>30 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.00</u> (A/B) Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>30</u></td> <td>x 4 = <u>120</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>30</u> (A)</td> <td><u>120</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>4.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>30</u>	x 4 = <u>120</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>30</u> (A)	<u>120</u> (B)	Prevalence Index = B/A = <u>4.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>30</u>	x 4 = <u>120</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>30</u> (A)	<u>120</u> (B)																			
Prevalence Index = B/A = <u>4.00</u>																				
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____		20% of total cover: _____																		
Sapling/Shrub Stratum (Plot size: <u>30 ft r</u>)																				
1. _____	_____	_____	_____	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____		20% of total cover: _____																		
Herb Stratum (Plot size: <u>10 ft r</u>)																				
1. <u>Glycine max</u>	<u>60</u>	<u>✓</u>	_____	¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
2. <u>Hordeum pusillum</u>	<u>30</u>	<u>✓</u>	<u>FACU</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>90</u> = Total Cover																				
50% of total cover: <u>45.00</u>		20% of total cover: <u>18.00</u>																		
Woody Vine Stratum (Plot size: <u>30 ft r</u>)																				
1. _____	_____	_____	_____	Hydrophytic Vegetation Present? Yes _____ No <u>✓</u>																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
_____ = Total Cover 20%																				
50% of total cover: _____		of total cover: _____																		

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: F-03

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 2	7.5YR 2.5/3	100					Silty Clay	
2 - 6	7.5YR 4/3	100					Silty Clay	
6 - 12	7.5YR 6/4	30	7.5YR 6/1	10	D	M	Clay	
6 - 12	7.5YR 5/8	60					Clay	
12 - 18	7.5YR 4/1	95	7.5YR 4/4	5	C	M	Clay	
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)		Indicators for Problematic Hydric Soils ³ :
☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)	☐ 2 cm Muck (A10) (LRR S)
☐ Black Histic (A3)	(MLRA 153B, 153D)	☐ Coast Prairie Redox (A16)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)	(outside MLRA 150A)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)	☐ Reduced Vertic (F18)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Depleted Matrix (F3)	(outside MLRA 150A, 150B)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Redox Dark Surface (F6)	☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)	☐ Anomalous Bright Floodplain Soils (F20)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)	(MLRA 153B)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)	☐ Red Parent Material (F21)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)	☐ Very Shallow Dark Surface (F22)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	(outside MLRA 138, 152A in FL, 154)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)	☐ Other (Explain in Remarks)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)	
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)	
☐ Polyvalue Below Surface (S8)	☐ Very Shallow Dark Surface (F22)	
(LRR S, T, U)	(MLRA 138, 152A in FL, 154)	

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes _____ No ☒
---	--

Remarks:

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region See ERDC/EL TR-10-20; the proponent agency is CECW-COR		OMB Control #: 0710-0024, Exp: 09/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)						
Project/Site: <u>EDCCC - CCIC South Site</u> City/County: <u>Clark County</u> Sampling Date: <u>2026-05-15</u>								
Applicant/Owner: <u>Economic Development Corporation of Clark County</u> State: <u>Arkansas</u> Sampling Point: <u>F-04</u>								
Investigator(s): <u>Jimmy Rogers</u> Section, Township, Range: <u>S13 T8S R20W</u>								
Landform (hillside, terrace, etc.): <u>Stream Terrace</u> Local relief (concave, convex, none): <u>None</u> Slope (%): <u>1</u>								
Subregion (LRR or MLRA): <u>P 135B</u> Lat: <u>34.043</u> Long: <u>-93.09131</u> Datum: <u>WGS 84</u>								
Soil Map Unit Name: <u>86 - Tuscumbia silty clay, occasionally flooded</u> NWI classification: _____								
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No ☐ (If no, explain in Remarks.)								
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ☒ No ☐								
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)								
SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 40%;"> Hydrophytic Vegetation Present? Yes ☒ No ☐ Hydric Soil Present? Yes ☐ No ☒ Wetland Hydrology Present? Yes ☐ No ☒ </td> <td style="width: 60%;"> Is the Sampled Area within a Wetland? Yes ☐ No ☒ </td> </tr> <tr> <td colspan="2" style="height: 100px; vertical-align: top;"> Remarks: </td> </tr> </table>			Hydrophytic Vegetation Present? Yes ☒ No ☐ Hydric Soil Present? Yes ☐ No ☒ Wetland Hydrology Present? Yes ☐ No ☒	Is the Sampled Area within a Wetland? Yes ☐ No ☒	Remarks:			
Hydrophytic Vegetation Present? Yes ☒ No ☐ Hydric Soil Present? Yes ☐ No ☒ Wetland Hydrology Present? Yes ☐ No ☒	Is the Sampled Area within a Wetland? Yes ☐ No ☒							
Remarks:								
HYDROLOGY								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 60%;"> Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Aquatic Fauna (B13) _____ High Water Table (A2) _____ Marl Deposits (B15) (LRR U) _____ Saturation (A3) _____ Hydrogen Sulfide Odor (C1) _____ Water Marks (B1) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Sediment Deposits (B2) _____ Presence of Reduced Iron (C4) _____ Drift Deposits (B3) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Algal Mat or Crust (B4) _____ Thin Muck Surface (C7) _____ Iron Deposits (B5) _____ Other (Explain in Remarks) _____ Inundation Visible on Aerial Imagery (B7) _____ Water-Stained Leaves (B9) </td> <td style="width: 40%;"> <u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Sparsely Vegetated Concave Surface (B8) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) ☒ FAC-Neutral Test (D5) _____ Sphagnum Moss (D8) (LRR T, U) </td> </tr> </table>			Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Aquatic Fauna (B13) _____ High Water Table (A2) _____ Marl Deposits (B15) (LRR U) _____ Saturation (A3) _____ Hydrogen Sulfide Odor (C1) _____ Water Marks (B1) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Sediment Deposits (B2) _____ Presence of Reduced Iron (C4) _____ Drift Deposits (B3) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Algal Mat or Crust (B4) _____ Thin Muck Surface (C7) _____ Iron Deposits (B5) _____ Other (Explain in Remarks) _____ Inundation Visible on Aerial Imagery (B7) _____ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Sparsely Vegetated Concave Surface (B8) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) ☒ FAC-Neutral Test (D5) _____ Sphagnum Moss (D8) (LRR T, U)				
Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Aquatic Fauna (B13) _____ High Water Table (A2) _____ Marl Deposits (B15) (LRR U) _____ Saturation (A3) _____ Hydrogen Sulfide Odor (C1) _____ Water Marks (B1) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Sediment Deposits (B2) _____ Presence of Reduced Iron (C4) _____ Drift Deposits (B3) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Algal Mat or Crust (B4) _____ Thin Muck Surface (C7) _____ Iron Deposits (B5) _____ Other (Explain in Remarks) _____ Inundation Visible on Aerial Imagery (B7) _____ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Sparsely Vegetated Concave Surface (B8) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) ☒ FAC-Neutral Test (D5) _____ Sphagnum Moss (D8) (LRR T, U)							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"> Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe) </td> <td style="width: 50%;"> Wetland Hydrology Present? Yes _____ No ☒ </td> </tr> <tr> <td colspan="2" style="height: 100px; vertical-align: top;"> Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: </td> </tr> <tr> <td colspan="2" style="height: 100px; vertical-align: top;"> Remarks: </td> </tr> </table>			Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No ☒	Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		Remarks:	
Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No ☒							
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:								
Remarks:								

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: F-04

Tree Stratum (Plot size: <u>20 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Celtis laevigata</u>	<u>30</u>	☒	<u>FACW</u>	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>75.00</u> (A/B)																
2. <u>Quercus phellos</u>	<u>5</u>		<u>FACW</u>																	
3. <u>Ulmus americana</u>	<u>5</u>		<u>FAC</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
<u>40</u> =Total Cover																				
50% of total cover: <u>20.00</u>		20% of total cover: <u>8.00</u>																		
Sapling/Shrub Stratum (Plot size: <u>20 ft r</u>)																				
1. <u>Ligustrum sinense</u>	<u>10</u>	☒	<u>FAC</u>	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>39</u></td> <td>x 2 = <u>78</u></td> </tr> <tr> <td>FAC species <u>93</u></td> <td>x 3 = <u>279</u></td> </tr> <tr> <td>FACU species <u>8</u></td> <td>x 4 = <u>32</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>140</u> (A)</td> <td><u>389</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.77</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>39</u>	x 2 = <u>78</u>	FAC species <u>93</u>	x 3 = <u>279</u>	FACU species <u>8</u>	x 4 = <u>32</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>140</u> (A)	<u>389</u> (B)	Prevalence Index = B/A = <u>2.77</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>39</u>	x 2 = <u>78</u>																			
FAC species <u>93</u>	x 3 = <u>279</u>																			
FACU species <u>8</u>	x 4 = <u>32</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>140</u> (A)	<u>389</u> (B)																			
Prevalence Index = B/A = <u>2.77</u>																				
2. <u>Celtis laevigata</u>	<u>2</u>		<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
<u>12</u> =Total Cover																				
50% of total cover: <u>6.00</u>		20% of total cover: <u>2.40</u>																		
Herb Stratum (Plot size: <u>5 ft r</u>)																				
1. <u>Elymus virginicus</u>	<u>70</u>	☒	<u>FAC</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation ☒ <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain)																
2. <u>Carex blanda</u>	<u>5</u>		<u>FAC</u>																	
3. <u>Ambrosia trifida</u>	<u>3</u>		<u>FAC</u>																	
4. <u>Boehmeria cylindrica</u>	<u>2</u>		<u>FACW</u>																	
5. <u>Lonicera japonica</u>	<u>2</u>		<u>FACU</u>																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>82</u> =Total Cover																				
50% of total cover: <u>41.00</u>		20% of total cover: <u>16.40</u>																		
Woody Vine Stratum (Plot size: <u>2 ft r</u>)																				
1. <u>Parthenocissus quinquefolia</u>	<u>5</u>	☒	<u>FACU</u>	Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
2. <u>Rubus trivialis</u>	<u>1</u>		<u>FACU</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
<u>6</u> =Total Cover 20%																				
50% of total cover: <u>3.00</u>		of total cover: <u>1.20</u>																		

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: **F-04****Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 6	7.5YR 3/3	100					Silty Clay	
6 - 18	7.5YR 4/2	100					Clay	
-								
-								
-								
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.²Location: PL=Pore Lining, M=Matrix.**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)
☐ Black Histic (A3)	(MLRA 153B, 153D)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Depleted Matrix (F3)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Redox Dark Surface (F6)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)
☐ Polyvalue Below Surface (S8)	☐ Very Shallow Dark Surface (F22)
(LRR S, T, U)	(MLRA 138, 152A in FL, 154)

Indicators for Problematic Hydric Soils³:

☐ 1 cm Muck (A9) (LRR O)
☐ 2 cm Muck (A10) (LRR S)
☐ Coast Prairie Redox (A16)
(outside MLRA 150A)
☐ Reduced Vertic (F18)
(outside MLRA 150A, 150B)
☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Anomalous Bright Floodplain Soils (F20)
(MLRA 153B)
☐ Red Parent Material (F21)
☐ Very Shallow Dark Surface (F22)
(outside MLRA 138, 152A in FL, 154)
☐ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation andwetland hydrology must be present,
unless disturbed or problematic.**Restrictive Layer (if observed):**

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No ☒

Remarks:

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region See ERDC/EL TR-10-20; the proponent agency is CECW-COR	OMB Control #: 0710-0024, Exp: 09/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)
---	---

Project/Site: EDCCC - CCIC South Site City/County: Clark County Sampling Date: 2026-05-15
Applicant/Owner: Economic Development Corporation of Clark County State: Arkansas Sampling Point: F-05
Investigator(s): Jimmy Rogers Section, Township, Range: S13 T8S R20W
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 1
Subregion (LRR or MLRA): P 135B Lat: 34.04422 Long: -93.09169 Datum: WGS 84
Soil Map Unit Name: 86 - Tuscumbia silty clay, occasionally flooded NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No _____ (If no, explain in Remarks.)
Are Vegetation ☒, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No ☒
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No ☒	Is the Sampled Area within a Wetland? Yes _____ No ☒
Hydric Soil Present? Yes ☒ No _____	
Wetland Hydrology Present? Yes _____ No ☒	

Remarks:
Maintained (periodically mowed) field.

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> ____ Surface Water (A1) ____ Aquatic Fauna (B13) ____ High Water Table (A2) ____ Marl Deposits (B15) (LRR U) ____ Saturation (A3) ____ Hydrogen Sulfide Odor (C1) ____ Water Marks (B1) ____ Oxidized Rhizospheres on Living Roots (C3) ____ Sediment Deposits (B2) ____ Presence of Reduced Iron (C4) ____ Drift Deposits (B3) ____ Recent Iron Reduction in Tilled Soils (C6) ____ Algal Mat or Crust (B4) ____ Thin Muck Surface (C7) ____ Iron Deposits (B5) ____ Other (Explain in Remarks) ____ Inundation Visible on Aerial Imagery (B7) ____ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> ____ Surface Soil Cracks (B6) ____ Sparsely Vegetated Concave Surface (B8) ____ Drainage Patterns (B10) ____ Moss Trim Lines (B16) ____ Dry-Season Water Table (C2) ____ Crayfish Burrows (C8) ____ Saturation Visible on Aerial Imagery (C9) ____ Geomorphic Position (D2) ____ Shallow Aquitard (D3) ____ FAC-Neutral Test (D5) ____ Sphagnum Moss (D8) (LRR T, U)
--	--

Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No ☒
---	--

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: **F-05**

Tree Stratum (Plot size: <u>15 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.00</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>5</u></td> <td>x 1 = <u>5</u></td> </tr> <tr> <td>FACW species <u>3</u></td> <td>x 2 = <u>6</u></td> </tr> <tr> <td>FAC species <u>69</u></td> <td>x 3 = <u>207</u></td> </tr> <tr> <td>FACU species <u>25</u></td> <td>x 4 = <u>100</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>102</u> (A)</td> <td><u>318</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.11</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>5</u>	x 1 = <u>5</u>	FACW species <u>3</u>	x 2 = <u>6</u>	FAC species <u>69</u>	x 3 = <u>207</u>	FACU species <u>25</u>	x 4 = <u>100</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>102</u> (A)	<u>318</u> (B)	Prevalence Index = B/A = <u>3.11</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>5</u>	x 1 = <u>5</u>																			
FACW species <u>3</u>	x 2 = <u>6</u>																			
FAC species <u>69</u>	x 3 = <u>207</u>																			
FACU species <u>25</u>	x 4 = <u>100</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>102</u> (A)	<u>318</u> (B)																			
Prevalence Index = B/A = <u>3.11</u>																				
50% of total cover: _____ 20% of total cover: _____																				
Sapling/Shrub Stratum (Plot size: <u>15 ft r</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____ 20% of total cover: _____																				
Herb Stratum (Plot size: <u>5 ft r</u>)																				
1. <u>Cyclosporum leptophyllum</u>	<u>50</u>	<u>✓</u>	<u>FAC</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain)																
2. <u>Lolium perenne</u>	<u>25</u>	<u>✓</u>	<u>FACU</u>																	
3. <u>Typha sp.</u>	<u>10</u>		<u>FAC</u>																	
4. <u>Ambrosia trifida</u>	<u>5</u>		<u>FAC</u>																	
5. <u>Justicia americana</u>	<u>5</u>		<u>OBL</u>																	
6. <u>Coreopsis tinctoria</u>	<u>2</u>		<u>FAC</u>																	
7. <u>Fraxinus pennsylvanica</u>	<u>2</u>		<u>FACW</u>																	
8. <u>Iva annua</u>	<u>2</u>		<u>FAC</u>																	
9. <u>Cyperus eragrostis</u>	<u>1</u>		<u>FACW</u>																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>102</u> = Total Cover				¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
50% of total cover: <u>51.00</u> 20% of total cover: <u>20.40</u>																				
Woody Vine Stratum (Plot size: <u>15 ft r</u>)				Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
_____ = Total Cover 20%																				
50% of total cover: _____ of total cover: _____																				

Remarks: (If observed, list morphological adaptations below.)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 4	10YR 4/1	95	7.5YR 4/4	5	C	M	Silty Clay	
4 - 6	10YR 5/6	95	10YR 5/1	5	C	M	Sandy Clay Loam	
6 - 18	10YR 4/1	95	7.5YR 4/6	5	C	M	Clay	
-								
-								
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)		Indicators for Problematic Hydric Soils ³ :
☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)	☐ 2 cm Muck (A10) (LRR S)
☐ Black Histic (A3)	(MLRA 153B, 153D)	☐ Coast Prairie Redox (A16)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)	(outside MLRA 150A)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)	☐ Reduced Vertic (F18)
☐ Organic Bodies (A6) (LRR P, T, U)	☒ Depleted Matrix (F3)	(outside MLRA 150A, 150B)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Redox Dark Surface (F6)	☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)	☐ Anomalous Bright Floodplain Soils (F20)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)	(MLRA 153B)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)	☐ Red Parent Material (F21)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)	☐ Very Shallow Dark Surface (F22)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	(outside MLRA 138, 152A in FL, 154)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)	☐ Other (Explain in Remarks)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)	
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)	
☐ Polyvalue Below Surface (S8) (LRR S, T, U)	☐ Very Shallow Dark Surface (F22) (MLRA 138, 152A in FL, 154)	

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes ☒ No ☐
---	---

Remarks:

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region See ERDC/EL TR-10-20; the proponent agency is CECW-COR		OMB Control #: 0710-0024, Exp: 09/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)						
Project/Site: <u>EDCCC - CCIC South Site</u> City/County: <u>Clark County</u> Sampling Date: <u>2026-05-15</u> Applicant/Owner: <u>Economic Development Corporation of Clark County</u> State: <u>Arkansas</u> Sampling Point: <u>F-06</u> Investigator(s): <u>Jimmy Rogers</u> Section, Township, Range: <u>S13 T8S R20W</u> Landform (hillside, terrace, etc.): <u>Stream Terrace</u> Local relief (concave, convex, none): <u>None</u> Slope (%): <u>1</u> Subregion (LRR or MLRA): <u>P 135B</u> Lat: <u>34.0438</u> Long: <u>-93.09094</u> Datum: <u>WGS 84</u> Soil Map Unit Name: <u>86 - Tuscumbia silty clay, occasionally flooded</u> NWI classification: _____ Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No _____ (If no, explain in Remarks.) Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ☒ No _____ Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)								
SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 40%;"> Hydrophytic Vegetation Present? Yes ☒ No _____ Hydric Soil Present? Yes _____ No ☒ Wetland Hydrology Present? Yes _____ No ☒ </td> <td style="width: 60%;"> Is the Sampled Area within a Wetland? Yes _____ No ☒ </td> </tr> <tr> <td colspan="2" style="height: 100px; vertical-align: top;"> Remarks: </td> </tr> </table>			Hydrophytic Vegetation Present? Yes ☒ No _____ Hydric Soil Present? Yes _____ No ☒ Wetland Hydrology Present? Yes _____ No ☒	Is the Sampled Area within a Wetland? Yes _____ No ☒	Remarks:			
Hydrophytic Vegetation Present? Yes ☒ No _____ Hydric Soil Present? Yes _____ No ☒ Wetland Hydrology Present? Yes _____ No ☒	Is the Sampled Area within a Wetland? Yes _____ No ☒							
Remarks:								
HYDROLOGY								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 60%;"> Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Aquatic Fauna (B13) _____ High Water Table (A2) _____ Marl Deposits (B15) (LRR U) _____ Saturation (A3) _____ Hydrogen Sulfide Odor (C1) _____ Water Marks (B1) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Sediment Deposits (B2) _____ Presence of Reduced Iron (C4) _____ Drift Deposits (B3) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Algal Mat or Crust (B4) _____ Thin Muck Surface (C7) _____ Iron Deposits (B5) _____ Other (Explain in Remarks) _____ Inundation Visible on Aerial Imagery (B7) _____ Water-Stained Leaves (B9) </td> <td style="width: 40%;"> <u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Sparsely Vegetated Concave Surface (B8) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ FAC-Neutral Test (D5) _____ Sphagnum Moss (D8) (LRR T, U) </td> </tr> </table>			Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Aquatic Fauna (B13) _____ High Water Table (A2) _____ Marl Deposits (B15) (LRR U) _____ Saturation (A3) _____ Hydrogen Sulfide Odor (C1) _____ Water Marks (B1) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Sediment Deposits (B2) _____ Presence of Reduced Iron (C4) _____ Drift Deposits (B3) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Algal Mat or Crust (B4) _____ Thin Muck Surface (C7) _____ Iron Deposits (B5) _____ Other (Explain in Remarks) _____ Inundation Visible on Aerial Imagery (B7) _____ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Sparsely Vegetated Concave Surface (B8) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ FAC-Neutral Test (D5) _____ Sphagnum Moss (D8) (LRR T, U)				
Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Aquatic Fauna (B13) _____ High Water Table (A2) _____ Marl Deposits (B15) (LRR U) _____ Saturation (A3) _____ Hydrogen Sulfide Odor (C1) _____ Water Marks (B1) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Sediment Deposits (B2) _____ Presence of Reduced Iron (C4) _____ Drift Deposits (B3) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Algal Mat or Crust (B4) _____ Thin Muck Surface (C7) _____ Iron Deposits (B5) _____ Other (Explain in Remarks) _____ Inundation Visible on Aerial Imagery (B7) _____ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Sparsely Vegetated Concave Surface (B8) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ FAC-Neutral Test (D5) _____ Sphagnum Moss (D8) (LRR T, U)							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"> Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe) </td> <td style="width: 50%;"> Wetland Hydrology Present? Yes _____ No ☒ </td> </tr> <tr> <td colspan="2" style="height: 100px; vertical-align: top;"> Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: </td> </tr> <tr> <td colspan="2" style="height: 100px; vertical-align: top;"> Remarks: </td> </tr> </table>			Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No ☒	Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		Remarks:	
Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No ☒							
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:								
Remarks:								

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: **F-06**

Tree Stratum (Plot size: <u>20 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Fraxinus pennsylvanica</u>	<u>25</u>	☒	<u>FACW</u>	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>5</u> (A) Total Number of Dominant Species Across All Strata: <u>8</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>62.50</u> (A/B)																
2. <u>Celtis laevigata</u>	<u>10</u>	☒	<u>FACW</u>																	
3. <u>Acer negundo</u>	<u>5</u>		<u>FAC</u>																	
4. _____	_____		_____																	
5. _____	_____		_____																	
6. _____	_____		_____																	
7. _____	_____		_____																	
8. _____	_____		_____																	
		<u>40</u> =Total Cover		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>42</u></td> <td>x 2 = <u>84</u></td> </tr> <tr> <td>FAC species <u>40</u></td> <td>x 3 = <u>120</u></td> </tr> <tr> <td>FACU species <u>30</u></td> <td>x 4 = <u>120</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>112</u> (A)</td> <td><u>324</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>2.89</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>42</u>	x 2 = <u>84</u>	FAC species <u>40</u>	x 3 = <u>120</u>	FACU species <u>30</u>	x 4 = <u>120</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>112</u> (A)	<u>324</u> (B)	Prevalence Index = B/A = <u>2.89</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>42</u>	x 2 = <u>84</u>																			
FAC species <u>40</u>	x 3 = <u>120</u>																			
FACU species <u>30</u>	x 4 = <u>120</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>112</u> (A)	<u>324</u> (B)																			
Prevalence Index = B/A = <u>2.89</u>																				
50% of total cover: <u>20.00</u>		20% of total cover: <u>8.00</u>																		
Sapling/Shrub Stratum (Plot size: <u>20 ft r</u>)																				
1. <u>Celtis laevigata</u>	<u>5</u>	☒	<u>FACW</u>																	
2. <u>Ulmus alata</u>	<u>5</u>	☒	<u>FACU</u>																	
3. <u>Ulmus americana</u>	<u>5</u>	☒	<u>FAC</u>																	
4. <u>Fraxinus pennsylvanica</u>	<u>2</u>		<u>FACW</u>																	
5. _____	_____		_____																	
6. _____	_____		_____																	
7. _____	_____		_____																	
8. _____	_____		_____																	
		<u>17</u> =Total Cover		Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation ☒ 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain)																
50% of total cover: <u>8.50</u>		20% of total cover: <u>3.40</u>																		
Herb Stratum (Plot size: <u>5 ft r</u>)																				
1. <u>Elymus virginicus</u>	<u>25</u>	☒	<u>FAC</u>																	
2. <u>Sanicula canadensis</u>	<u>10</u>	☒	<u>FACU</u>																	
3. <u>Chaerophyllum tainturieri</u>	<u>3</u>		<u>FAC</u>																	
4. _____	_____		_____																	
5. _____	_____		_____																	
6. _____	_____		_____																	
7. _____	_____		_____																	
8. _____	_____		_____																	
9. _____	_____		_____																	
10. _____	_____		_____																	
11. _____	_____		_____																	
12. _____	_____		_____																	
		<u>38</u> =Total Cover		Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
50% of total cover: <u>19.00</u>		20% of total cover: <u>7.60</u>																		
Woody Vine Stratum (Plot size: <u>2 ft r</u>)																				
1. <u>Parthenocissus quinquefolia</u>	<u>10</u>	☒	<u>FACU</u>																	
2. <u>Lonicera japonica</u>	<u>3</u>		<u>FACU</u>																	
3. <u>Rubus trivialis</u>	<u>2</u>		<u>FACU</u>																	
4. <u>Toxicodendron radicans</u>	<u>2</u>		<u>FAC</u>																	
5. _____	_____		_____																	
		<u>17</u> =Total Cover 20%		Hydrophytic Vegetation Present? Yes ☒ No ☐																
50% of total cover: <u>8.50</u>		of total cover: <u>3.40</u>																		

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: **F-06**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 1	10YR 3/2	100					Silty Clay	
1 - 16	10YR 5/4	100					Clay	
-								
-								
-								
-								
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.
²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)	Indicators for Problematic Hydric Soils³:
☐ Histosol (A1) ☐ Histic Epipedon (A2) ☐ Black Histic (A3) ☐ Hydrogen Sulfide (A4) ☐ Stratified Layers (A5) ☐ Organic Bodies (A6) (LRR P, T, U) ☐ 5 cm Mucky Mineral (A7) (LRR P, T, U) ☐ Muck Presence (A8) (LRR U) ☐ 1 cm Muck (A9) (LRR P, T) ☐ Depleted Below Dark Surface (A11) ☐ Thick Dark Surface (A12) ☐ Coast Prairie Redox (A16) (MLRA 150A) ☐ Iron Monosulfide (A18) ☐ Sandy Mucky Mineral (S1) (LRR O, S) ☐ Sandy Gleyed Matrix (S4) ☐ Sandy Redox (S5) ☐ Stripped Matrix (S6) ☐ Dark Surface (S7) (LRR P, S, T, U) ☐ Polyvalue Below Surface (S8) (LRR S, T, U)	☐ Thin Dark Surface (S9) (LRR S, T, U) ☐ Barrier Islands 1 cm Muck (S12) (MLRA 153B, 153D) ☐ Loamy Mucky Mineral (F1) (LRR O) ☐ Loamy Gleyed Matrix (F2) ☐ Depleted Matrix (F3) ☐ Redox Dark Surface (F6) ☐ Depleted Dark Surface (F7) ☐ Redox Depressions (F8) ☐ Marl (F10) (LRR U) ☐ Depleted Ochric (F11) (MLRA 151) ☐ Iron-Manganese Masses (F12) (LRR O, P, T) ☐ Umbric Surface (F13) (LRR P, T, U) ☐ Delta Ochric (F17) (MLRA 151) ☐ Reduced Vertic (F18) (MLRA 150A, 150B) ☐ Piedmont Floodplain Soils (F19) (MLRA 149A) ☐ Anomalous Bright Floodplain Soils (F20) (MLRA 149A, 153C, 153D) ☐ Very Shallow Dark Surface (F22) (MLRA 138, 152A in FL, 154)
☐ 1 cm Muck (A9) (LRR O) ☐ 2 cm Muck (A10) (LRR S) ☐ Coast Prairie Redox (A16) (outside MLRA 150A) ☐ Reduced Vertic (F18) (outside MLRA 150A, 150B) ☐ Piedmont Floodplain Soils (F19) (LRR P, T) ☐ Anomalous Bright Floodplain Soils (F20) (MLRA 153B) ☐ Red Parent Material (F21) ☐ Very Shallow Dark Surface (F22) (outside MLRA 138, 152A in FL, 154) ☐ Other (Explain in Remarks)	³ Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):
 Type: _____
 Depth (inches): _____

Hydric Soil Present? Yes _____ No ☒

Remarks:

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region See ERDC/EL TR-10-20; the proponent agency is CECW-COR	OMB Control #: 0710-0024, Exp: 09/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)
---	---

Project/Site: EDCCC - CCIC South Site City/County: Clark County Sampling Date: 2026-05-15
Applicant/Owner: Economic Development Corporation of Clark County State: Arkansas Sampling Point: F-07
Investigator(s): Jimmy Rogers Section, Township, Range: S13 T8S R20W
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): Concave Slope (%): 0-1
Subregion (LRR or MLRA): P 135B Lat: 34.04224 Long: -93.08737 Datum: WGS 84
Soil Map Unit Name: 89 - Urbo silty clay loam, occasionally flooded NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No _____ (If no, explain in Remarks.)
Are Vegetation ☒, Soil ☒, or Hydrology ☒ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No ☒
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes ☒ No _____	Is the Sampled Area within a Wetland? Yes ☒ No _____
Hydric Soil Present? Yes ☒ No _____	
Wetland Hydrology Present? Yes ☒ No _____	

Remarks:
Agriculture field.

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> ☒ Surface Water (A1) ☒ Aquatic Fauna (B13) ☐ High Water Table (A2) ☐ Marl Deposits (B15) (LRR U) ☐ Saturation (A3) ☐ Hydrogen Sulfide Odor (C1) ☐ Water Marks (B1) ☐ Oxidized Rhizospheres on Living Roots (C3) ☐ Sediment Deposits (B2) ☐ Presence of Reduced Iron (C4) ☐ Drift Deposits (B3) ☐ Recent Iron Reduction in Tilled Soils (C6) ☒ Algal Mat or Crust (B4) ☐ Thin Muck Surface (C7) ☐ Iron Deposits (B5) ☒ Other (Explain in Remarks) ☐ Inundation Visible on Aerial Imagery (B7) ☐ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> ☐ Surface Soil Cracks (B6) ☒ Sparsely Vegetated Concave Surface (B8) ☐ Drainage Patterns (B10) ☐ Moss Trim Lines (B16) ☐ Dry-Season Water Table (C2) ☐ Crayfish Burrows (C8) ☒ Saturation Visible on Aerial Imagery (C9) ☐ Geomorphic Position (D2) ☐ Shallow Aquitard (D3) ☐ FAC-Neutral Test (D5) ☐ Sphagnum Moss (D8) (LRR T, U)
--	--

Field Observations: Surface Water Present? Yes ☒ No _____ Depth (inches): <u>0-2</u> Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes ☒ No _____
--	--

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Planted in soy but no plant survival, indicative of hydrology.

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: F-07

Tree Stratum (Plot size: <u>20 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>0</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.00</u> (A/B) Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>0</u> (A)</td> <td><u>0</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>0</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>0</u> (A)	<u>0</u> (B)	Prevalence Index = B/A = <u>0</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>0</u> (A)	<u>0</u> (B)																			
Prevalence Index = B/A = <u>0</u>																				
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____		20% of total cover: _____																		
Sapling/Shrub Stratum (Plot size: <u>20 ft r</u>)				Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ ☒ Problematic Hydrophytic Vegetation ¹ (Explain)																
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____		20% of total cover: _____																		
Herb Stratum (Plot size: <u>20 ft r</u>)				¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____		20% of total cover: _____																		
Woody Vine Stratum (Plot size: <u>20 ft r</u>)				Hydrophytic Vegetation Present? Yes ☒ No ☐																
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover 20%																				
50% of total cover: _____		of total cover: _____																		

Remarks: (If observed, list morphological adaptations below.)

Agriculture field. Vegetation disturbed. Assumed vegetation would be present and hydrophytic if not in agriculture and based on lack of planted crop.

SOIL

Sampling Point: **F-07**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 16	7.5YR 3/1	95	7.5YR 4/4	5	C	M	Silty Clay	
-								
-								
-								
-								
-								
-								
-								
¹ Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.					² Location: PL=Pore Lining, M=Matrix.			
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)					Indicators for Problematic Hydric Soils³:			
☐ Histosol (A1)			☐ Thin Dark Surface (S9) (LRR S, T, U)			☐ 1 cm Muck (A9) (LRR O)		
☐ Histic Epipedon (A2)			☐ Barrier Islands 1 cm Muck (S12)			☐ 2 cm Muck (A10) (LRR S)		
☐ Black Histic (A3)			(MLRA 153B, 153D)			☐ Coast Prairie Redox (A16)		
☐ Hydrogen Sulfide (A4)			☐ Loamy Mucky Mineral (F1) (LRR O)			(outside MLRA 150A)		
☐ Stratified Layers (A5)			☐ Loamy Gleyed Matrix (F2)			☐ Reduced Vertic (F18)		
☐ Organic Bodies (A6) (LRR P, T, U)			☐ Depleted Matrix (F3)			(outside MLRA 150A, 150B)		
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☒		☐ Redox Dark Surface (F6)			☐ Piedmont Floodplain Soils (F19) (LRR P, T)		
☐ Muck Presence (A8) (LRR U)			☐ Depleted Dark Surface (F7)			☐ Anomalous Bright Floodplain Soils (F20)		
☐ 1 cm Muck (A9) (LRR P, T)			☐ Redox Depressions (F8)			(MLRA 153B)		
☐ Depleted Below Dark Surface (A11)			☐ Marl (F10) (LRR U)			☐ Red Parent Material (F21)		
☐ Thick Dark Surface (A12)			☐ Depleted Ochric (F11) (MLRA 151)			☐ Very Shallow Dark Surface (F22)		
☐ Coast Prairie Redox (A16) (MLRA 150A)			☐ Iron-Manganese Masses (F12) (LRR O, P, T)			(outside MLRA 138, 152A in FL, 154)		
☐ Iron Monosulfide (A18)			☐ Umbric Surface (F13) (LRR P, T, U)			☐ Other (Explain in Remarks)		
☐ Sandy Mucky Mineral (S1) (LRR O, S)			☐ Delta Ochric (F17) (MLRA 151)					
☐ Sandy Gleyed Matrix (S4)			☐ Reduced Vertic (F18) (MLRA 150A, 150B)					
☐ Sandy Redox (S5)			☐ Piedmont Floodplain Soils (F19) (MLRA 149A)					
☐ Stripped Matrix (S6)			☐ Anomalous Bright Floodplain Soils (F20)					
☐ Dark Surface (S7) (LRR P, S, T, U)			(MLRA 149A, 153C, 153D)					
☐ Polyvalue Below Surface (S8)			☐ Very Shallow Dark Surface (F22)					
(LRR S, T, U)			(MLRA 138, 152A in FL, 154)					
Restrictive Layer (if observed):								
Type: _____								
Depth (inches): _____								
					Hydric Soil Present? Yes ☒ No ☐			
Remarks:								

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region See ERDC/EL TR-10-20; the proponent agency is CECW-COR	OMB Control #: 0710-0024, Exp: 09/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)
---	---

Project/Site: EDCCC - CCIC South Site City/County: Clark County Sampling Date: 2026-05-15
Applicant/Owner: Economic Development Corporation of Clark County State: Arkansas Sampling Point: F-08
Investigator(s): Jimmy Rogers Section, Township, Range: S13 T8S R20W
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 0-1
Subregion (LRR or MLRA): P 135B Lat: 34.042 Long: -93.08779 Datum: WGS 84
Soil Map Unit Name: 86 - Tuscumbia silty clay, occasionally flooded NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No _____ (If no, explain in Remarks.)
Are Vegetation ☒, Soil ☒, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No ☒
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No ☒	Is the Sampled Area within a Wetland? Yes _____ No ☒
Hydric Soil Present? Yes _____ No ☒	
Wetland Hydrology Present? Yes ☒ No _____	

Remarks:
Agriculture field.

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> ☐ Surface Water (A1) ☐ Aquatic Fauna (B13) ☐ High Water Table (A2) ☐ Marl Deposits (B15) (LRR U) ☐ Saturation (A3) ☐ Hydrogen Sulfide Odor (C1) ☐ Water Marks (B1) ☐ Oxidized Rhizospheres on Living Roots (C3) ☐ Sediment Deposits (B2) ☐ Presence of Reduced Iron (C4) ☐ Drift Deposits (B3) ☐ Recent Iron Reduction in Tilled Soils (C6) ☒ Algal Mat or Crust (B4) ☐ Thin Muck Surface (C7) ☐ Iron Deposits (B5) ☐ Other (Explain in Remarks) ☐ Inundation Visible on Aerial Imagery (B7) ☐ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> ☐ Surface Soil Cracks (B6) ☐ Sparsely Vegetated Concave Surface (B8) ☐ Drainage Patterns (B10) ☐ Moss Trim Lines (B16) ☐ Dry-Season Water Table (C2) ☐ Crayfish Burrows (C8) ☐ Saturation Visible on Aerial Imagery (C9) ☐ Geomorphic Position (D2) ☐ Shallow Aquitard (D3) ☐ FAC-Neutral Test (D5) ☐ Sphagnum Moss (D8) (LRR T, U)
Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes ☒ No _____
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks:	

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: **F-08**

Tree Stratum (Plot size: <u>30 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>0</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.00</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>0</u> (A)</td> <td><u>0</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>0</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>0</u> (A)	<u>0</u> (B)	Prevalence Index = B/A = <u>0</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>0</u> (A)	<u>0</u> (B)																			
Prevalence Index = B/A = <u>0</u>																				
50% of total cover: _____ 20% of total cover: _____																				
Sapling/Shrub Stratum (Plot size: <u>30 ft r</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____ 20% of total cover: _____																				
Herb Stratum (Plot size: <u>10 ft r</u>)																				
1. <u>Glycine max</u>	<u>80</u>	<u>✓</u>	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: <u>40.00</u> 20% of total cover: <u>16.00</u>																				
Woody Vine Stratum (Plot size: <u>30 ft r</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
_____ = Total Cover 20%																				
50% of total cover: _____ of total cover: _____																				
Remarks: (If observed, list morphological adaptations below.)																				

Hydrophytic Vegetation Present? Yes _____ No ✓

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 2	7.5YR 3/3	100					Silty Clay	
2 - 12	7.5YR 3/3	98	7.5YR 5/4	2	C	M	Silty Clay	
12 - 18	7.5YR 3/2	85	7.5YR 5/4	15	C	M	Silty Clay	
-								
-								
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)		Indicators for Problematic Hydric Soils ³ :
☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)	☐ 2 cm Muck (A10) (LRR S)
☐ Black Histic (A3)	(MLRA 153B, 153D)	☐ Coast Prairie Redox (A16)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)	(outside MLRA 150A)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)	☐ Reduced Vertic (F18)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Depleted Matrix (F3)	(outside MLRA 150A, 150B)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Redox Dark Surface (F6)	☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)	☐ Anomalous Bright Floodplain Soils (F20)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)	(MLRA 153B)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)	☐ Red Parent Material (F21)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)	☐ Very Shallow Dark Surface (F22)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	(outside MLRA 138, 152A in FL, 154)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)	☐ Other (Explain in Remarks)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)	
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)	
☐ Polyvalue Below Surface (S8)	☐ Very Shallow Dark Surface (F22)	
(LRR S, T, U)	(MLRA 138, 152A in FL, 154)	

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes _____ No ☒
---	--

Remarks:

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region See ERDC/EL TR-10-20; the proponent agency is CECW-COR	OMB Control #: 0710-0024, Exp: 09/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)
---	---

Project/Site: EDCCC - CCIC South Site City/County: Clark County Sampling Date: 2026-05-15
Applicant/Owner: Economic Development Corporation of Clark County State: Arkansas Sampling Point: F-09
Investigator(s): Jimmy Rogers Section, Township, Range: S13 T8S R20W
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): Concave Slope (%): 0-1
Subregion (LRR or MLRA): P 135B Lat: 34.04208 Long: -93.08812 Datum: WGS 84
Soil Map Unit Name: 86 - Tuscumbia silty clay, occasionally flooded NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No _____ (If no, explain in Remarks.)
Are Vegetation ☒, Soil ☒, or Hydrology ☒ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No ☒
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes ☒ No _____	Is the Sampled Area within a Wetland? Yes ☒ No _____
Hydric Soil Present? Yes ☒ No _____	
Wetland Hydrology Present? Yes ☒ No _____	

Remarks:
Agriculture field.

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> ☒ Surface Water (A1) ☒ Aquatic Fauna (B13) ☐ High Water Table (A2) ☐ Marl Deposits (B15) (LRR U) ☐ Saturation (A3) ☐ Hydrogen Sulfide Odor (C1) ☐ Water Marks (B1) ☐ Oxidized Rhizospheres on Living Roots (C3) ☐ Sediment Deposits (B2) ☐ Presence of Reduced Iron (C4) ☐ Drift Deposits (B3) ☐ Recent Iron Reduction in Tilled Soils (C6) ☒ Algal Mat or Crust (B4) ☐ Thin Muck Surface (C7) ☐ Iron Deposits (B5) ☒ Other (Explain in Remarks) ☐ Inundation Visible on Aerial Imagery (B7) ☐ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> ☐ Surface Soil Cracks (B6) ☒ Sparsely Vegetated Concave Surface (B8) ☐ Drainage Patterns (B10) ☐ Moss Trim Lines (B16) ☐ Dry-Season Water Table (C2) ☐ Crayfish Burrows (C8) ☒ Saturation Visible on Aerial Imagery (C9) ☐ Geomorphic Position (D2) ☐ Shallow Aquitard (D3) ☐ FAC-Neutral Test (D5) ☐ Sphagnum Moss (D8) (LRR T, U)
Field Observations: Surface Water Present? Yes ☒ No _____ Depth (inches): <u>0-2</u> Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes ☒ No _____
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	
Remarks: Planted in soy but no plant survival, indicative of hydrology.	

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: F-09

Tree Stratum (Plot size: <u>15 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>0</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.00</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>0</u> (A)</td> <td><u>0</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>0</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>0</u> (A)	<u>0</u> (B)	Prevalence Index = B/A = <u>0</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>0</u> (A)	<u>0</u> (B)																			
Prevalence Index = B/A = <u>0</u>																				
50% of total cover: _____ 20% of total cover: _____																				
Sapling/Shrub Stratum (Plot size: <u>15 ft r</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
=Total Cover				Hydrophytic Vegetation Indicators: ___ 1 - Rapid Test for Hydrophytic Vegetation ___ 2 - Dominance Test is >50% ___ 3 - Prevalence Index is ≤3.0 ¹ ☒ Problematic Hydrophytic Vegetation ¹ (Explain)																
50% of total cover: _____ 20% of total cover: _____																				
Herb Stratum (Plot size: <u>10 ft r</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
=Total Cover				Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
50% of total cover: _____ 20% of total cover: _____																				
Woody Vine Stratum (Plot size: <u>15 ft r</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
=Total Cover 20%																				
50% of total cover: _____ of total cover: _____																				
Hydrophytic Vegetation Present? Yes ☒ No _____																				

Remarks: (If observed, list morphological adaptations below.)

Agriculture field. Vegetation disturbed. Assumed vegetation would be present and hydrophytic if not in agriculture and based on lack of planted crop.

SOIL

Sampling Point: F-09

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 16	7.5YR 3/1	95	7.5YR 4/4	5	C	M	Silty Clay	
-								
-								
-								
-								
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.²Location: PL=Pore Lining, M=Matrix.**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)
☐ Black Histic (A3)	(MLRA 153B, 153D)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Depleted Matrix (F3)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☒ Redox Dark Surface (F6)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)
☐ Polyvalue Below Surface (S8)	☐ Very Shallow Dark Surface (F22)
(LRR S, T, U)	(MLRA 138, 152A in FL, 154)

Indicators for Problematic Hydric Soils³:

☐ 1 cm Muck (A9) (LRR O)
☐ 2 cm Muck (A10) (LRR S)
☐ Coast Prairie Redox (A16)
(outside MLRA 150A)
☐ Reduced Vertic (F18)
(outside MLRA 150A, 150B)
☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Anomalous Bright Floodplain Soils (F20)
(MLRA 153B)
☐ Red Parent Material (F21)
☐ Very Shallow Dark Surface (F22)
(outside MLRA 138, 152A in FL, 154)
☐ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation andwetland hydrology must be present,
unless disturbed or problematic.**Restrictive Layer (if observed):**

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☒ No ☐

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: **F-10**

Tree Stratum (Plot size: <u>5x15 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Celtis laevigata</u>	<u>3</u>	☒	<u>FACW</u>	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.00</u> (A/B) Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>75</u></td> <td>x 1 = <u>75</u></td> </tr> <tr> <td>FACW species <u>6</u></td> <td>x 2 = <u>12</u></td> </tr> <tr> <td>FAC species <u>6</u></td> <td>x 3 = <u>18</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>87</u> (A)</td> <td><u>105</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>1.20</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>75</u>	x 1 = <u>75</u>	FACW species <u>6</u>	x 2 = <u>12</u>	FAC species <u>6</u>	x 3 = <u>18</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>87</u> (A)	<u>105</u> (B)	Prevalence Index = B/A = <u>1.20</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>75</u>	x 1 = <u>75</u>																			
FACW species <u>6</u>	x 2 = <u>12</u>																			
FAC species <u>6</u>	x 3 = <u>18</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>87</u> (A)	<u>105</u> (B)																			
Prevalence Index = B/A = <u>1.20</u>																				
2. <u>Fraxinus pennsylvanica</u>	<u>3</u>	☒	<u>FACW</u>																	
3. <u>Ulmus americana</u>	<u>3</u>	☒	<u>FAC</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9 = Total Cover																				
50% of total cover: <u>4.50</u>		20% of total cover: <u>1.80</u>																		
Sapling/Shrub Stratum (Plot size: <u>5x15 ft r</u>)																				
1. _____	_____	_____	_____	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation ☒ 2 - Dominance Test is >50% ☒ 3 - Prevalence Index is ≤3.0 ¹ <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
_____ = Total Cover																				
50% of total cover: _____		20% of total cover: _____																		
Herb Stratum (Plot size: <u>5x15 ft r</u>)																				
1. <u>Saururus cernuus</u>	<u>70</u>	☒	<u>OBL</u>	Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height. Hydrophytic Vegetation Present? Yes ☒ No _____																
2. <u>Carex sp.</u>	<u>5</u>	_____	_____																	
3. <u>Glyceria striata</u>	<u>5</u>	_____	<u>OBL</u>																	
4. <u>Cyclosporum leptophyllum</u>	<u>3</u>	_____	<u>FAC</u>																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
83 = Total Cover																				
50% of total cover: <u>41.50</u>		20% of total cover: <u>16.60</u>																		
Woody Vine Stratum (Plot size: <u>5x15 ft r</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
_____ = Total Cover 20%																				
50% of total cover: _____		of total cover: _____																		

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: **F-10****Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 3	7.5YR 5/2	100					Silty Clay Loam	
3 - 16	7.5YR 4/1	95	7.5YR 4/4	5	C	M	Silty Clay Loam	
-								
-								
-								
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.²Location: PL=Pore Lining, M=Matrix.**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)
☐ Black Histic (A3)	(MLRA 153B, 153D)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)
☐ Organic Bodies (A6) (LRR P, T, U)	☒ Depleted Matrix (F3)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Redox Dark Surface (F6)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)
☐ Polyvalue Below Surface (S8)	☐ Very Shallow Dark Surface (F22)
(LRR S, T, U)	(MLRA 138, 152A in FL, 154)

Indicators for Problematic Hydric Soils³:

☐ 1 cm Muck (A9) (LRR O)
☐ 2 cm Muck (A10) (LRR S)
☐ Coast Prairie Redox (A16)
(outside MLRA 150A)
☐ Reduced Vertic (F18)
(outside MLRA 150A, 150B)
☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Anomalous Bright Floodplain Soils (F20)
(MLRA 153B)
☐ Red Parent Material (F21)
☐ Very Shallow Dark Surface (F22)
(outside MLRA 138, 152A in FL, 154)
☐ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation andwetland hydrology must be present,
unless disturbed or problematic.**Restrictive Layer (if observed):**

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ☒ No ☐

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: F-11

Tree Stratum (Plot size: <u>20 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>5</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>80.00</u> (A/B) Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>55</u></td> <td>x 2 = <u>110</u></td> </tr> <tr> <td>FAC species <u>73</u></td> <td>x 3 = <u>219</u></td> </tr> <tr> <td>FACU species <u>20</u></td> <td>x 4 = <u>80</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>148</u> (A)</td> <td><u>409</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>2.76</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>55</u>	x 2 = <u>110</u>	FAC species <u>73</u>	x 3 = <u>219</u>	FACU species <u>20</u>	x 4 = <u>80</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>148</u> (A)	<u>409</u> (B)	Prevalence Index = B/A = <u>2.76</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>55</u>	x 2 = <u>110</u>																			
FAC species <u>73</u>	x 3 = <u>219</u>																			
FACU species <u>20</u>	x 4 = <u>80</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>148</u> (A)	<u>409</u> (B)																			
Prevalence Index = B/A = <u>2.76</u>																				
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
		=Total Cover																		
50% of total cover: _____		20% of total cover: _____																		
Sapling/Shrub Stratum (Plot size: <u>20 ft r</u>)																				
1. <u>Fraxinus pennsylvanica</u>	<u>40</u>	☒	<u>FACW</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation ☒ <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ _____ Problematic Hydrophytic Vegetation ¹ (Explain)																
2. <u>Liquidambar styraciflua</u>	<u>40</u>	☒	<u>FAC</u>																	
3. <u>Carya illinoensis</u>	<u>5</u>		<u>FACU</u>																	
4. <u>Quercus sp.</u>	<u>3</u>																			
5. _____	_____																			
6. _____	_____																			
7. _____	_____																			
8. _____	_____																			
		<u>88</u> =Total Cover																		
50% of total cover: <u>44.00</u>		20% of total cover: <u>17.60</u>																		
Herb Stratum (Plot size: <u>5 ft r</u>)																				
1. <u>Carex cherokeensis</u>	<u>15</u>	☒	<u>FACW</u>	Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
2. <u>Iva annua</u>	<u>10</u>	☒	<u>FAC</u>																	
3. <u>Lolium perenne</u>	<u>10</u>	☒	<u>FACU</u>																	
4. <u>Ambrosia trifida</u>	<u>5</u>		<u>FAC</u>																	
5. <u>Ampelopsis arborea</u>	<u>5</u>		<u>FAC</u>																	
6. <u>Cyclosporum leptophyllum</u>	<u>5</u>		<u>FAC</u>																	
7. <u>Elymus virginicus</u>	<u>5</u>		<u>FAC</u>																	
8. <u>Ulmus alata</u>	<u>5</u>		<u>FACU</u>																	
9. <u>Valerianella radiata</u>	<u>3</u>		<u>FAC</u>																	
10. _____	_____																			
11. _____	_____																			
12. _____	_____																			
		<u>63</u> =Total Cover																		
50% of total cover: <u>31.50</u>		20% of total cover: <u>12.60</u>																		
Woody Vine Stratum (Plot size: <u>10 ft r</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
		=Total Cover 20%																		
50% of total cover: _____		of total cover: _____																		

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: **F-11**

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 18	7.5YR 3/3	100					Silty Clay	
-								
-								
-								
-								
-								
-								
-								
¹ Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix.								
Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) ☐ Histosol (A1) ☐ Thin Dark Surface (S9) (LRR S, T, U) ☐ Histic Epipedon (A2) ☐ Barrier Islands 1 cm Muck (S12) ☐ Black Histic (A3) (MLRA 153B, 153D) ☐ Hydrogen Sulfide (A4) ☐ Loamy Mucky Mineral (F1) (LRR O) ☐ Stratified Layers (A5) ☐ Loamy Gleyed Matrix (F2) ☐ Organic Bodies (A6) (LRR P, T, U) ☐ Depleted Matrix (F3) ☐ 5 cm Mucky Mineral (A7) (LRR P, T, U) ☐ Redox Dark Surface (F6) ☐ Muck Presence (A8) (LRR U) ☐ Depleted Dark Surface (F7) ☐ 1 cm Muck (A9) (LRR P, T) ☐ Redox Depressions (F8) ☐ Depleted Below Dark Surface (A11) ☐ Marl (F10) (LRR U) ☐ Thick Dark Surface (A12) ☐ Depleted Ochric (F11) (MLRA 151) ☐ Coast Prairie Redox (A16) (MLRA 150A) ☐ Iron-Manganese Masses (F12) (LRR O, P, T) ☐ Iron Monosulfide (A18) ☐ Umbric Surface (F13) (LRR P, T, U) ☐ Sandy Mucky Mineral (S1) (LRR O, S) ☐ Delta Ochric (F17) (MLRA 151) ☐ Sandy Gleyed Matrix (S4) ☐ Reduced Vertic (F18) (MLRA 150A, 150B) ☐ Sandy Redox (S5) ☐ Piedmont Floodplain Soils (F19) (MLRA 149A) ☐ Stripped Matrix (S6) ☐ Anomalous Bright Floodplain Soils (F20) ☐ Dark Surface (S7) (LRR P, S, T, U) (MLRA 149A, 153C, 153D) ☐ Polyvalue Below Surface (S8) ☐ Very Shallow Dark Surface (F22) ☐ (LRR S, T, U) (MLRA 138, 152A in FL, 154) Indicators for Problematic Hydric Soils³: ☐ 1 cm Muck (A9) (LRR O) ☐ 2 cm Muck (A10) (LRR S) ☐ Coast Prairie Redox (A16) (outside MLRA 150A) ☐ Reduced Vertic (F18) (outside MLRA 150A, 150B) ☐ Piedmont Floodplain Soils (F19) (LRR P, T) ☐ Anomalous Bright Floodplain Soils (F20) (MLRA 153B) ☐ Red Parent Material (F21) ☐ Very Shallow Dark Surface (F22) (outside MLRA 138, 152A in FL, 154) ☐ Other (Explain in Remarks)								
³ Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.								
Restrictive Layer (if observed): Type: _____ Depth (inches): _____							Hydric Soil Present? Yes _____ No ☒	
Remarks:								

U.S. Army Corps of Engineers WETLAND DETERMINATION DATA SHEET – Atlantic and Gulf Coastal Plain Region See ERDC/EL TR-10-20; the proponent agency is CECW-COR		OMB Control #: 0710-0024, Exp: 09/30/2027 Requirement Control Symbol EXEMPT: (Authority: AR 335-15, paragraph 5-2a)						
Project/Site: <u>EDCCC - CCIC South Site</u> City/County: <u>Clark County</u> Sampling Date: <u>2026-05-15</u>								
Applicant/Owner: <u>Economic Development Corporation of Clark County</u> State: <u>Arkansas</u> Sampling Point: <u>F-12</u>								
Investigator(s): <u>Jimmy Rogers</u> Section, Township, Range: <u>S13 T8S R20W</u>								
Landform (hillside, terrace, etc.): <u>Stream Terrace</u> Local relief (concave, convex, none): <u>None</u> Slope (%): <u>1</u>								
Subregion (LRR or MLRA): <u>P 135B</u> Lat: <u>34.04266</u> Long: <u>-93.09004</u> Datum: <u>WGS 84</u>								
Soil Map Unit Name: <u>86 - Tuscumbia silty clay, occasionally flooded</u> NWI classification: _____								
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No ☐ (If no, explain in Remarks.)								
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ☒ No ☐								
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)								
SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 40%;"> Hydrophytic Vegetation Present? Yes ☒ No ☐ Hydric Soil Present? Yes ☐ No ☒ Wetland Hydrology Present? Yes ☐ No ☒ </td> <td style="width: 60%;"> Is the Sampled Area within a Wetland? Yes ☐ No ☒ </td> </tr> <tr> <td colspan="2" style="height: 100px; vertical-align: top;"> Remarks: </td> </tr> </table>			Hydrophytic Vegetation Present? Yes ☒ No ☐ Hydric Soil Present? Yes ☐ No ☒ Wetland Hydrology Present? Yes ☐ No ☒	Is the Sampled Area within a Wetland? Yes ☐ No ☒	Remarks:			
Hydrophytic Vegetation Present? Yes ☒ No ☐ Hydric Soil Present? Yes ☐ No ☒ Wetland Hydrology Present? Yes ☐ No ☒	Is the Sampled Area within a Wetland? Yes ☐ No ☒							
Remarks:								
HYDROLOGY								
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 60%;"> Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Aquatic Fauna (B13) _____ High Water Table (A2) _____ Marl Deposits (B15) (LRR U) _____ Saturation (A3) _____ Hydrogen Sulfide Odor (C1) _____ Water Marks (B1) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Sediment Deposits (B2) _____ Presence of Reduced Iron (C4) _____ Drift Deposits (B3) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Algal Mat or Crust (B4) _____ Thin Muck Surface (C7) _____ Iron Deposits (B5) _____ Other (Explain in Remarks) _____ Inundation Visible on Aerial Imagery (B7) _____ Water-Stained Leaves (B9) </td> <td style="width: 40%;"> <u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Sparsely Vegetated Concave Surface (B8) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ FAC-Neutral Test (D5) _____ Sphagnum Moss (D8) (LRR T, U) </td> </tr> </table>			Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Aquatic Fauna (B13) _____ High Water Table (A2) _____ Marl Deposits (B15) (LRR U) _____ Saturation (A3) _____ Hydrogen Sulfide Odor (C1) _____ Water Marks (B1) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Sediment Deposits (B2) _____ Presence of Reduced Iron (C4) _____ Drift Deposits (B3) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Algal Mat or Crust (B4) _____ Thin Muck Surface (C7) _____ Iron Deposits (B5) _____ Other (Explain in Remarks) _____ Inundation Visible on Aerial Imagery (B7) _____ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Sparsely Vegetated Concave Surface (B8) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ FAC-Neutral Test (D5) _____ Sphagnum Moss (D8) (LRR T, U)				
Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> _____ Surface Water (A1) _____ Aquatic Fauna (B13) _____ High Water Table (A2) _____ Marl Deposits (B15) (LRR U) _____ Saturation (A3) _____ Hydrogen Sulfide Odor (C1) _____ Water Marks (B1) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Sediment Deposits (B2) _____ Presence of Reduced Iron (C4) _____ Drift Deposits (B3) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Algal Mat or Crust (B4) _____ Thin Muck Surface (C7) _____ Iron Deposits (B5) _____ Other (Explain in Remarks) _____ Inundation Visible on Aerial Imagery (B7) _____ Water-Stained Leaves (B9)	<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Sparsely Vegetated Concave Surface (B8) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ FAC-Neutral Test (D5) _____ Sphagnum Moss (D8) (LRR T, U)							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"> Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe) </td> <td style="width: 50%;"> Wetland Hydrology Present? Yes _____ No ☒ </td> </tr> <tr> <td colspan="2" style="height: 100px; vertical-align: top;"> Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available: </td> </tr> <tr> <td colspan="2" style="height: 100px; vertical-align: top;"> Remarks: </td> </tr> </table>			Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No ☒	Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		Remarks:	
Field Observations: Surface Water Present? Yes _____ No ☒ Depth (inches): _____ Water Table Present? Yes _____ No ☒ Depth (inches): _____ Saturation Present? Yes _____ No ☒ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No ☒							
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:								
Remarks:								

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: F-12

Tree Stratum (Plot size: <u>20 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Sapindus saponaria</u>	<u>30</u>	☒	<u>FACU</u>	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>5</u> (A) Total Number of Dominant Species Across All Strata: <u>9</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>55.55</u> (A/B) Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>10</u></td> <td>x 2 = <u>20</u></td> </tr> <tr> <td>FAC species <u>61</u></td> <td>x 3 = <u>183</u></td> </tr> <tr> <td>FACU species <u>48</u></td> <td>x 4 = <u>192</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>119</u> (A)</td> <td><u>395</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>3.31</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>10</u>	x 2 = <u>20</u>	FAC species <u>61</u>	x 3 = <u>183</u>	FACU species <u>48</u>	x 4 = <u>192</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>119</u> (A)	<u>395</u> (B)	Prevalence Index = B/A = <u>3.31</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>10</u>	x 2 = <u>20</u>																			
FAC species <u>61</u>	x 3 = <u>183</u>																			
FACU species <u>48</u>	x 4 = <u>192</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>119</u> (A)	<u>395</u> (B)																			
Prevalence Index = B/A = <u>3.31</u>																				
2. <u>Ulmus americana</u>	<u>15</u>	☒	<u>FAC</u>																	
3. <u>Fraxinus pennsylvanica</u>	<u>5</u>		<u>FACW</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
<u>50</u> = Total Cover																				
50% of total cover: <u>25.00</u>		20% of total cover: <u>10.00</u>																		
Sapling/Shrub Stratum (Plot size: <u>20 ft r</u>)																				
1. <u>Sapindus saponaria</u>	<u>5</u>	☒	<u>FACU</u>	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation ☒ 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain)																
2. <u>Ulmus alata</u>	<u>5</u>	☒	<u>FACU</u>																	
3. <u>Ligustrum sinense</u>	<u>3</u>	☒	<u>FAC</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
<u>13</u> = Total Cover																				
50% of total cover: <u>6.50</u>		20% of total cover: <u>2.60</u>																		
Herb Stratum (Plot size: <u>5 ft r</u>)																				
1. <u>Elymus virginicus</u>	<u>30</u>	☒	<u>FAC</u>	Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
2. <u>Carex blanda</u>	<u>10</u>	☒	<u>FAC</u>																	
3. <u>Dicliptera brachiata</u>	<u>5</u>		<u>FACW</u>																	
4. <u>Sanicula canadensis</u>	<u>3</u>		<u>FACU</u>																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>48</u> = Total Cover																				
50% of total cover: <u>24.00</u>		20% of total cover: <u>9.60</u>																		
Woody Vine Stratum (Plot size: <u>2 ft r</u>)																				
1. <u>Parthenocissus quinquefolia</u>	<u>5</u>	☒	<u>FACU</u>	Hydrophytic Vegetation Present? Yes ☒ No ☐																
2. <u>Smilax rotundifolia</u>	<u>2</u>	☒	<u>FAC</u>																	
3. <u>Cocculus carolinus</u>	<u>1</u>		<u>FAC</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
<u>8</u> = Total Cover 20%																				
50% of total cover: <u>4.00</u>		of total cover: <u>1.60</u>																		

Remarks: (If observed, list morphological adaptations below.)

SOIL

Sampling Point: F-12**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 18	10YR 3/3	100					Silty Clay	
-								
-								
-								
-								
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.²Location: PL=Pore Lining, M=Matrix.**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)
☐ Black Histic (A3)	(MLRA 153B, 153D)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Depleted Matrix (F3)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Redox Dark Surface (F6)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)
☐ Polyvalue Below Surface (S8)	☐ Very Shallow Dark Surface (F22)
(LRR S, T, U)	(MLRA 138, 152A in FL, 154)

Indicators for Problematic Hydric Soils³:

☐ 1 cm Muck (A9) (LRR O)
☐ 2 cm Muck (A10) (LRR S)
☐ Coast Prairie Redox (A16)
(outside MLRA 150A)
☐ Reduced Vertic (F18)
(outside MLRA 150A, 150B)
☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Anomalous Bright Floodplain Soils (F20)
(MLRA 153B)
☐ Red Parent Material (F21)
☐ Very Shallow Dark Surface (F22)
(outside MLRA 138, 152A in FL, 154)
☐ Other (Explain in Remarks)

³Indicators of hydrophytic vegetation andwetland hydrology must be present,
unless disturbed or problematic.**Restrictive Layer (if observed):**

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No ☒

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: F-13

Tree Stratum (Plot size: <u>30 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Carya glabra</u>	<u>30</u>	☒	<u>FACU</u>	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>7</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>14.28</u> (A/B) Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>22</u></td> <td>x 3 = <u>66</u></td> </tr> <tr> <td>FACU species <u>72</u></td> <td>x 4 = <u>288</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>94</u> (A)</td> <td><u>354</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>3.76</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>22</u>	x 3 = <u>66</u>	FACU species <u>72</u>	x 4 = <u>288</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>94</u> (A)	<u>354</u> (B)	Prevalence Index = B/A = <u>3.76</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>22</u>	x 3 = <u>66</u>																			
FACU species <u>72</u>	x 4 = <u>288</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>94</u> (A)	<u>354</u> (B)																			
Prevalence Index = B/A = <u>3.76</u>																				
2. <u>Quercus falcata</u>	<u>10</u>	☒	<u>FACU</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
<u>40</u> = Total Cover																				
50% of total cover: <u>20.00</u>		20% of total cover: <u>8.00</u>																		
Sapling/Shrub Stratum (Plot size: <u>30 ft r</u>)																				
1. <u>Carya glabra</u>	<u>20</u>	☒	<u>FACU</u>	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
<u>20</u> = Total Cover																				
50% of total cover: <u>10.00</u>		20% of total cover: <u>4.00</u>																		
Herb Stratum (Plot size: <u>5 ft r</u>)																				
1. <u>Carex blanda</u>	<u>20</u>	☒	<u>FAC</u>	Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height. Hydrophytic Vegetation Present? Yes <u> </u> No ☒																
2. <u>Ligustrum sinense</u>	<u>2</u>	_____	<u>FAC</u>																	
3. <u>Sanicula canadensis</u>	<u>2</u>	_____	<u>FACU</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>24</u> = Total Cover																				
50% of total cover: <u>12.00</u>		20% of total cover: <u>4.80</u>																		
Woody Vine Stratum (Plot size: <u>10 ft r</u>)																				
1. <u>Lonicera japonica</u>	<u>5</u>	☒	<u>FACU</u>																	
2. <u>Parthenocissus quinquefolia</u>	<u>3</u>	☒	<u>FACU</u>																	
3. <u>Vitis aestivalis</u>	<u>2</u>	☒	<u>FACU</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
<u>10</u> = Total Cover 20%																				
50% of total cover: <u>5.00</u>		of total cover: <u>2.00</u>																		

Remarks: (If observed, list morphological adaptations below.)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 5	7.5YR 2.5/2	100					Silt	
5 - 9	7.5YR 4/3	100					Silty Clay	
9 - 12	7.5YR 5/3	95	7.5YR 4/6	5	C	M	Silty Clay	
12 - 18	7.5YR 6/2	60	7.5YR 5/6	40	C	M	Silty Clay	
-								
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)		Indicators for Problematic Hydric Soils ³ :
☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)	☐ 2 cm Muck (A10) (LRR S)
☐ Black Histic (A3)	(MLRA 153B, 153D)	☐ Coast Prairie Redox (A16)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)	(outside MLRA 150A)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)	☐ Reduced Vertic (F18)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Depleted Matrix (F3)	(outside MLRA 150A, 150B)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Redox Dark Surface (F6)	☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)	☐ Anomalous Bright Floodplain Soils (F20)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)	(MLRA 153B)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)	☐ Red Parent Material (F21)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)	☐ Very Shallow Dark Surface (F22)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	(outside MLRA 138, 152A in FL, 154)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)	☐ Other (Explain in Remarks)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)	
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)	
☐ Polyvalue Below Surface (S8) (LRR S, T, U)	☐ Very Shallow Dark Surface (F22) (MLRA 138, 152A in FL, 154)	

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes _____ No ☒
---	--

Remarks:

VEGETATION (Four Strata) – Use scientific names of plants.

 Sampling Point: **F-14**

Tree Stratum (Plot size: <u>30 ft r</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Carya glabra</u>	<u>40</u>	☒	<u>FACU</u>	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>5</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>20.00</u> (A/B)																
2. <u>Liquidambar styraciflua</u>	<u>10</u>		<u>FAC</u>																	
3. <u>Quercus falcata</u>	<u>5</u>		<u>FACU</u>																	
4. <u>Quercus imbricaria</u>	<u>5</u>		<u>FAC</u>																	
5. _____	_____																			
6. _____	_____																			
7. _____	_____																			
8. _____	_____																			
<u>60</u> =Total Cover																				
50% of total cover: <u>30.00</u>		20% of total cover: <u>12.00</u>																		
Sapling/Shrub Stratum (Plot size: <u>30 ft r</u>)																				
1. <u>Carya glabra</u>	<u>5</u>	☒	<u>FACU</u>	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>20</u></td> <td>x 3 = <u>60</u></td> </tr> <tr> <td>FACU species <u>73</u></td> <td>x 4 = <u>292</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>93</u> (A)</td> <td><u>352</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.78</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>20</u>	x 3 = <u>60</u>	FACU species <u>73</u>	x 4 = <u>292</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>93</u> (A)	<u>352</u> (B)	Prevalence Index = B/A = <u>3.78</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>20</u>	x 3 = <u>60</u>																			
FACU species <u>73</u>	x 4 = <u>292</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>93</u> (A)	<u>352</u> (B)																			
Prevalence Index = B/A = <u>3.78</u>																				
2. <u>Prunus serotina</u>	<u>1</u>		<u>FACU</u>																	
3. _____	_____																			
4. _____	_____																			
5. _____	_____																			
6. _____	_____																			
7. _____	_____																			
8. _____	_____																			
<u>6</u> =Total Cover																				
50% of total cover: <u>3.00</u>		20% of total cover: <u>1.20</u>																		
Herb Stratum (Plot size: <u>5 ft r</u>)																				
1. <u>Sanicula canadensis</u>	<u>3</u>	☒	<u>FACU</u>	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain)																
2. <u>Ligustrum sinense</u>	<u>2</u>	☒	<u>FAC</u>																	
3. <u>Botrypus virginianus</u>	<u>1</u>		<u>FACU</u>																	
4. _____	_____																			
5. _____	_____																			
6. _____	_____																			
7. _____	_____																			
8. _____	_____																			
<u>6</u> =Total Cover																				
50% of total cover: <u>3.00</u>		20% of total cover: <u>1.20</u>																		
Woody Vine Stratum (Plot size: <u>10 ft r</u>)																				
1. <u>Parthenocissus quinquefolia</u>	<u>15</u>	☒	<u>FACU</u>	Definitions of Four Vegetation Strata: Tree – Woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/Shrub – Woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody Vine – All woody vines greater than 3.28 ft in height.																
2. <u>Lonicera japonica</u>	<u>3</u>		<u>FACU</u>																	
3. <u>Toxicodendron radicans</u>	<u>2</u>		<u>FAC</u>																	
4. <u>Smilax bona-nox</u>	<u>1</u>		<u>FAC</u>																	
5. _____	_____																			
<u>21</u> =Total Cover 20%																				
50% of total cover: <u>10.50</u>		of total cover: <u>4.20</u>																		
					Hydrophytic Vegetation Present? Yes <u> </u> No ☒															

Remarks: (If observed, list morphological adaptations below.)

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)								
Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²		
0 - 2	7.5YR 2.5/2	100					Silt	
2 - 6	7.5YR 4/3	100					Silty Clay	
6 - 12	7.5YR 5/3	95	7.5YR 4/6	5	C	M	Silty Clay	
12 - 18	7.5YR 6/2	80	7.5YR 5/6	15	C	M	Silty Clay	
12 - 18			7.5YR 4/2	5	D	M	Silty Clay	
-								
-								

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)		Indicators for Problematic Hydric Soils ³ :
☐ Histosol (A1)	☐ Thin Dark Surface (S9) (LRR S, T, U)	☐ 1 cm Muck (A9) (LRR O)
☐ Histic Epipedon (A2)	☐ Barrier Islands 1 cm Muck (S12)	☐ 2 cm Muck (A10) (LRR S)
☐ Black Histic (A3)	(MLRA 153B, 153D)	☐ Coast Prairie Redox (A16)
☐ Hydrogen Sulfide (A4)	☐ Loamy Mucky Mineral (F1) (LRR O)	(outside MLRA 150A)
☐ Stratified Layers (A5)	☐ Loamy Gleyed Matrix (F2)	☐ Reduced Vertic (F18)
☐ Organic Bodies (A6) (LRR P, T, U)	☐ Depleted Matrix (F3)	(outside MLRA 150A, 150B)
☐ 5 cm Mucky Mineral (A7) (LRR P, T, U)	☐ Redox Dark Surface (F6)	☐ Piedmont Floodplain Soils (F19) (LRR P, T)
☐ Muck Presence (A8) (LRR U)	☐ Depleted Dark Surface (F7)	☐ Anomalous Bright Floodplain Soils (F20)
☐ 1 cm Muck (A9) (LRR P, T)	☐ Redox Depressions (F8)	(MLRA 153B)
☐ Depleted Below Dark Surface (A11)	☐ Marl (F10) (LRR U)	☐ Red Parent Material (F21)
☐ Thick Dark Surface (A12)	☐ Depleted Ochric (F11) (MLRA 151)	☐ Very Shallow Dark Surface (F22)
☐ Coast Prairie Redox (A16) (MLRA 150A)	☐ Iron-Manganese Masses (F12) (LRR O, P, T)	(outside MLRA 138, 152A in FL, 154)
☐ Iron Monosulfide (A18)	☐ Umbric Surface (F13) (LRR P, T, U)	☐ Other (Explain in Remarks)
☐ Sandy Mucky Mineral (S1) (LRR O, S)	☐ Delta Ochric (F17) (MLRA 151)	
☐ Sandy Gleyed Matrix (S4)	☐ Reduced Vertic (F18) (MLRA 150A, 150B)	
☐ Sandy Redox (S5)	☐ Piedmont Floodplain Soils (F19) (MLRA 149A)	
☐ Stripped Matrix (S6)	☐ Anomalous Bright Floodplain Soils (F20)	
☐ Dark Surface (S7) (LRR P, S, T, U)	(MLRA 149A, 153C, 153D)	
☐ Polyvalue Below Surface (S8)	☐ Very Shallow Dark Surface (F22)	
(LRR S, T, U)	(MLRA 138, 152A in FL, 154)	

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed): Type: _____ Depth (inches): _____	Hydric Soil Present? Yes _____ No ☒
---	--

Remarks:

Attachment B

Representative Photos



Photo 1: Overview of western portion of project area (looking northeast from southwest) (UAS image).



Photo 2: Overview of eastern portion of project area (looking south from northeast) (UAS image).



Photo 3: Maintained field community (F-01, looking north)



Photo 4: Maintained field community (F-02, looking north)



Photo 5: Row-crop agricultural upland community (F-03, looking west)



Photo 6: Row-crop agricultural upland community (F-08, looking northwest)



Photo 7: Forested non-wetland riparian community (F-04, looking south)



Photo 8: Forested non-wetland riparian community (F-06, looking west)



Photo 9: Mixed-forest upland community (F-13, looking south)



Photo 10: Mixed-forest upland community (F-14, looking west)



Photo 11: Row-crop agricultural wetland (WET-SS-A1, F-09, looking west)



Photo 12: Row-crop agricultural wetland (WET-SS-B, F-07, looking south)



Photo 13: Forested drainageway wetland (WET-SS-A2, F-10, looking south)



Photo 14: Ephemeral channel (EPH-SS-1)



Photo 15: Intermittent channel (INT-SS-1)



Photo 16: RPW channel (RPW-SS-1; northern portion of project area)



Photo 17: RPW channel (RPW-SS-1; central portion of project area)



Photo 18: Erosive feature



Photo 19: Erosive feature



Photo 20: Erosive feature



Photo 21: Erosive feature



Photo 22: Erosive feature

Attachment C

Reference Maps



U.S. Fish and Wildlife Service

National Wetlands Inventory

CCIC South Site



February 2, 2026

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Soil Map—Clark County, Arkansas



Map Scale: 1:4,590 if printed on A landscape (11" x 8.5") sheet.

0 50 100 200 300 Meters

0 200 400 800 1200 Feet

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 15N WGS84



**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

6/12/2026
Page 1 of 3

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Clark County, Arkansas

Survey Area Data: Version 7, Sep 10, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Jan 22, 2023—Feb 17, 2023

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.


Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
28	Houston clay, 3 to 8 percent slopes, eroded	12.3	16.3%
31	Kipling silt loam, 0 to 2 percent slopes	6.7	8.8%
32	Kipling silty clay loam, 2 to 5 percent slopes	33.5	44.3%
82	Terouge silty clay, 1 to 3 percent slopes	4.6	6.0%
86	Tuscumbia silty clay, occasionally flooded	17.8	23.5%
89	Urbo silty clay loam, occasionally flooded	0.8	1.1%
Totals for Area of Interest		75.7	100.0%

National Flood Hazard Layer FIRMette



93°5'47"W 34°2'56"N



1:6,000

93°5'9"W 34°2'26"N

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
GENERAL STRUCTURES		Area of Undetermined Flood Hazard Zone D
		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
MAP PANELS		Coastal Transect Baseline
		Profile Baseline
		Hydrographic Feature
		Digital Data Available
		No Digital Data Available
		Unmapped



The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **2/2/2026 at 2:43 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.